

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
26 August 2004 (26.08.2004)

PCT

(10) International Publication Number
WO 2004/072230 A2

- (51) International Patent Classification⁷: **C12N**
- (21) International Application Number:
PCT/US2004/002012
- (22) International Filing Date: 10 February 2004 (10.02.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
10/361,604 10 February 2003 (10.02.2003) US
- (71) Applicant (for all designated States except US): CLEAR-
ANT, INC. [US/US]; 11111 Santa Monica Boulevard,
Suite 650, Los Angeles, CA 90025 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): McKENNEY,
Keith [US/US]; 11918 Glen Mill Road, Potomac, MD
20854 (US). GILLMEISTER, Lidja [US/US]; 9419
Lee Highway, Fairfax, VA 22031 (US). MARLOWE,
Kristina [US/US]; 9419 Lee Highway, Fairfax, VA 22031
(US). ARMISTEAD, David [US/US]; 1810 North Wayne
Street, Arlington, VA 22201 (US).
- (74) Agents: McPHAIL, Donald, R. et al.; Flesher & Kim,
LLP, P.O. Box 221200, Chantilly, VA 20153-1200 (US).
- (81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.
- (84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Euro-
pean (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR,
GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: REAL-TIME POLYMERASE CHAIN REACTION USING LARGE TARGET AMPLICONS

(57) Abstract: The present invention relates to methods for analyzing a target nucleic acid sequence in a biological material. More particularly, the present invention relates to methods for analyzing a target nucleic acid sequence by real time polymerase chain reaction using nucleic acid primers that are separated by at least about 750 nucleic acid residues in the target sequence.

WO 2004/072230 A2

REAL-TIME POLYMERASE CHAIN REACTION USING LARGE TARGET AMPLICONS

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

The present invention relates to methods for analyzing a target nucleic acid sequence in a biological material. More particularly, the present invention relates to methods for analyzing a target nucleic acid sequence by real time polymerase chain reaction using nucleic acid primers that are separated by at least about 750 nucleic acid residues in the target
10 sequence.

2. Background of the Related Art

PCR (polymerase chain reaction) is a method for increasing the concentration of a segment of a target sequence in a mixture of nucleic acid sequences without cloning or
15 purification. (See K. B. Mullis *et al.*, U.S. Pat. Nos. 4,683,195 and 4,683,202).

This process for amplifying the target sequence consists of introducing two oligonucleotide primers to the sample containing the desired target nucleic acid sequence, followed by thermal cycling in the presence of a DNA polymerase. The two primers are complementary to their respective strands of the target sequence. To effect amplification,
20 the genetic material within the sample is first denatured and then the primers are annealed to their complementary sequences within the target molecule. Following annealing, the primers are extended with a polymerase so as to form a new pair of complementary strands.

The steps of denaturation, annealing and extension can be repeated many times (*i.e.*, denaturation, annealing and extension constitute one "cycle"; there can be numerous

"cycles") to obtain a high concentration of an amplified segment of the desired target sequence. The length of the amplified segment of the desired target sequence is determined by the relative positions of the primers with respect to each other, and therefore, this length is a controllable parameter. Because the desired amplified segments of the target sequence become the predominant sequences (in terms of concentration) in the mixture, they are said to be "PCR amplified".

With PCR, it is possible to amplify a single copy of a specific target sequence in genomic DNA to a level detectable by several different methodologies (e.g., hybridization with a labelled probe; incorporation of biotinylated primers followed by avidin-enzyme conjugate detection; incorporation of ^{32}P -labelled deoxynucleotide triphosphates, e.g., dCTP or dATP, into the amplified segment). In addition to genomic DNA, any oligonucleotide sequence can be amplified with the appropriate set of primer molecules.

End-point PCR is a polynucleotide amplification protocol. The amplification factor that is observed is related to the number (n) of cycles that have occurred and the efficiency of replication at each cycle (E), which, in turn, is a function of the priming and extension efficiencies during each cycle. Amplification has been observed to follow the form E^n , until high concentrations of the PCR product have been made.

At these high product concentrations, the efficiency of replication tends to drop significantly. It has been suggested that this is probably due to the displacement of the primers by the longer complementary strands of the PCR product. At concentrations in excess of 10^{-8} M, the rate of the two complementary PCR amplified product strands finding each other during the priming reactions becomes sufficiently fast that it may occur before or

concomitantly with the extension step of the PCR process. This ultimately leads to a reduced priming efficiency, and, consequently, a reduced cycle efficiency. Continued cycles of PCR lead to declining increases of PCR product molecules, until the PCR product eventually reaches a plateau concentration (the "end-point"), usually a concentration of approximately 10^{-8} M. As a typical reaction volume is about 100 microliters, this corresponds to a yield of about 6×10^{11} double stranded product molecules.

Real-time PCR is also a polynucleotide amplification protocol, but PCR product analysis occurs simultaneously with amplification of the target sequence. Detecting agents, such as DNA dyes or fluorescent probes, can be added to the PCR mixture before amplification and used to analyze PCR products during amplification. Sample analysis occurs concurrently with amplification in the same tube within the same instrument. This combined approach decreases sample handling, saves time, and greatly reduces the risk of product contamination, as there is no need to remove the samples from their closed containers for further analysis. The concept of combining amplification with product analysis has become known as "real-time" or "quantitative" PCR. (*See, e.g.*, WO/9746707A2, WO/9746712A2 and WO/9746714A1).

Originally, monitoring fluorescence each cycle of PCR involved the use of ethidium bromide. *See* Higuchi *et al.*, "Simultaneous amplification and detection of specific DNA sequences," *Bio/Technology* **10**:413-417 (1992); Higuchi *et al.*, "Kinetic PCR analysis: real time monitoring of DNA amplification reactions," *Bio/Technology* **11**:1026-1030 (1993). In that system, fluorescence was measured once per cycle as a relative measure of product concentration. Ethidium bromide detects double stranded DNA; thus, if the desired target nucleic acid sequence is present, fluorescence intensity increases with temperature cycling

(otherwise no fluorescence). Furthermore, the cycle number where an increase in fluorescence is first detected increases inversely proportionally to the log of the initial target sequence concentration. Other fluorescent systems have since been developed that are capable of providing additional data concerning the nucleic acid concentration.

- 5 A significant limitation in the use of real-time PCR is the length of the target nucleic acid sequence. That is, as the target amplicon length increase, the efficiency of real-time PCR decreases. Practical limits for target amplicon length in most commercially available PCR systems are generally less than 500 bp, usually in the range of 80-200 bp. Larger amplicons have been obtained by some, but to date there remains a need for routinely
10 amplifying large target sequences in real time PCR.

Each of the above references is incorporated by reference herein where appropriate for teachings of additional or alternative details, features and/or technical background.

SUMMARY OF THE INVENTION

- 15 An object of the invention is to solve at least the problems and/or disadvantages of the relevant art, and to provide at least the advantages described hereinafter.

Accordingly, it is an object of the present invention to provide methods for analyzing a target nucleic acid sequence by real time polymerase chain reaction using nucleic acid primers that are separated by at least about 750 nucleic acid residues in the target sequence.

- 20 Other objects, features and advantages of the present invention will be set forth in the detailed description of preferred embodiments that follows, and in part will be apparent from the description or may be learned by practice of the invention. These objects and

advantages of the invention will be realized and attained by the compositions and methods particularly pointed out in the written description and claims hereof.

In accordance with these and other objects, a first embodiment of the present invention is directed to a method for analyzing a target nucleic acid sequence, comprising: (i) adding to a biological material an effective amount of at least two nucleic acid primers that hybridize under stringent conditions to predetermined sequences of the target sequence and are separated by at least about 750 nucleic acid residues, (ii) amplifying the target nucleic acid sequence by a polymerase chain reaction which comprises adding a polymerase to the biological material and primers to form an amplification mixture and thermally cycling the amplification mixture between at least one denaturation temperature and at least one elongation temperature, and (iii) detecting and quantifying said target nucleic acid sequence. According to this embodiment of the present invention, during the thermal cycling, the elongation temperature is not more than about 70°C and the denaturation temperature is not more than about 95°C, and the amplification mixture is maintained at the denaturation temperature for a period of not more than about 30 seconds and at the elongation temperature for a period of not less than about 1 minute.

Additional advantages, objects, and features of the invention will be set forth in part in the description which follows and in part will become apparent to those having ordinary skill in the art upon examination of the following or may be learned from practice of the invention. The objects and advantages of the invention may be realized and attained as particularly pointed out in the appended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be described in detail with reference to the following drawings in which like reference numerals refer to like elements wherein:

Figure 1 shows forward and reverse primers useful in preparing large target
5 amplicons based on the genomic nucleic acid sequence of human Parvovirus B19 (SEQ ID NO.: 1).

Figure 2 shows forward and reverse primers useful in preparing large target
amplicons based on the genomic nucleic acid sequence of hepatitis B virus (SEQ ID NO.:
2).

10 Figure 3 shows forward and reverse primers useful in preparing large target
amplicons based on the genomic nucleic acid sequence of porcine parvovirus (SEQ ID NO.:
3).

Figure 4 shows forward and reverse primers useful in preparing large target
amplicons based on the genomic nucleic acid sequence of Sindbis virus (SEQ ID NO.: 4).

15 Figure 5 shows forward and reverse primers useful in preparing large target
amplicons based on the genomic nucleic acid sequence of West Nile virus (SEQ ID NO.: 5).

Figures 6A and 6B show forward and reverse primers useful in preparing large target
amplicons based on the genomic nucleic acid sequence of the 16S ribosomal RNA gene
(SEQ ID NO.: 6) and the 23S ribosomal RNA gene of *Escherichia coli* (SEQ ID NO.: 7).

20 Figures 7A and 7B show forward and reverse primers useful in preparing large target
amplicons based on the genomic nucleic acid sequence of the 18S ribosomal RNA gene
(SEQ ID NO.: 8) and the 25S ribosomal RNA gene of yeast (*S. cerevisiae*) (SEQ ID NO.: 9).

Figure 8 shows forward and reverse primers useful in preparing large target amplicons based on the nucleic acid sequence of human mitochondrial DNA (SEQ ID NO: 10).

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

A. Definitions

Unless defined otherwise, all technical and scientific terms used herein are intended to have the same meaning as is commonly understood by one of ordinary skill in the relevant art.

As used herein, the singular forms "a," "an," and "the" include the plural reference unless the context clearly dictates otherwise.

As used herein, the term "biological material" is intended to mean any substance derived or obtained from a living organism. Illustrative examples of biological materials include, but are not limited to, the following: cells; tissues; blood or blood components; proteins, including recombinant and transgenic proteins, and proetinaceous materials; enzymes, including digestive enzymes, such as trypsin, chymotrypsin, alpha-galactosidase and iduronodate-2-sulfatase; immunoglobulins, including mono and polyimmunoglobulins; botanicals; food and the like. Preferred examples of biological materials include, but are not limited to, the following: ligaments; tendons; nerves; bone, including demineralized bone matrix, grafts, joints, femurs, femoral heads, etc.; teeth; skin grafts; bone marrow, including bone marrow cell suspensions, whole or processed; heart valves; cartilage; corneas; arteries and veins; organs, including organs for transplantation, such as hearts, livers, lungs, kidneys, intestines, pancreas, limbs and digits; lipids; carbohydrates; collagen, including native,

afibrillar, atelomeric, soluble and insoluble, recombinant and transgenic, both native sequence and modified; chitin and its derivatives, including NO-carboxy chitosan (NOCC); stem cells, islet of Langerhans cells and other cells for transplantation, including genetically altered cells; red blood cells; white blood cells, including monocytes; and platelets.

- 5 Additional examples of biological materials include forensic samples, human or animal remains, stomach contents, mummified remains of a once-living organism, fossilized remains, a product of manufacture containing or previously in contact with a biological material, and fomites.

10 **B. *Particularly Preferred Embodiments***

A first particular preferred embodiment of the present invention is directed to a method for analyzing a target nucleic acid sequence in a biological material, comprising:

- (i) adding to a biological material an effective amount of at least two nucleic acid primers, wherein these nucleic acid primers hybridize under stringent conditions to two
15 predetermined nucleic acid sequences of the target nucleic acid sequence that are separated by at least about 750 nucleic acid residues,
- (ii) amplifying the target nucleic acid sequence by a polymerase chain reaction which comprises adding a polymerase to the biological material and primers to form an amplification mixture and then thermally cycling the amplification mixture between at least
20 one denaturation temperature and at least one elongation temperature; and
- (iii) detecting and quantifying said target nucleic acid sequence.

According to this preferred embodiment of the present invention, the elongation temperature is not more than about 70°C and the denaturation temperature is not more than about 95°C. Additionally, according to this preferred embodiment of the present invention, during each thermal cycle, the amplification mixture is maintained at the denaturation
5 temperature for a period of not more than about 30 seconds and at the elongation temperature for a period of not less than about 1 minute.

According to preferred embodiments of the present invention, the target nucleic acid sequence preferably contains between about 500 and about 50,000 nucleic acid residues. More preferably, the target nucleic acid sequence contains between about 1000 and about
10 10,000 nucleic acid residues, even more preferably between about 2000 and about 5000 nucleic acid residues and most preferably between about 2500 and about 5000 nucleic acid residues.

The nucleic acid primers are each selected based on their ability to generate the desired target nucleic acid sequence under the appropriate PCR conditions. Accordingly,
15 each primer must be specific for the desired target nucleic acid sequence. Similarly, each primer must be selected so that they are not self-complementary or complementary to another primer (or probe, if present).

According to preferred embodiments of the present invention, the sequences on the target sequence that correspond to the two primer sequences are separated by at least 750
20 nucleic acid residues. Preferably, the sequences which correspond to the primers are separated by at least about 1000 nucleic acid residues, more preferably at least about 2000 nucleic acid residues, even more preferably at least about 3000 nucleic acid residues, still

even more preferably at least about 4000 nucleic acid residues and most preferably at least about 5000 nucleic acid residues. According to an alternative embodiment of the present invention, the sequences on the target sequence that correspond to the two primer sequences are separated by only about 500 nucleic acid residues.

- 5 The polymerase chain reaction employed in the inventive methods is performed according to the methods and techniques known to those skilled in the art, *i.e.*, a nucleic acid primer pair is added to the biological material containing the sequence of interest to form an amplification mixture that is then thermally cycled for a sufficient period of time to amplify the desired sequence. The thermal cycling generally comprises cycling the amplification
- 10 mixture between at least one denaturation temperature and at least one elongation temperature. Preferably, the thermal cycling comprises cycling the amplification mixture between at least one denaturation temperature, at least one annealing temperature and at least one elongation temperature.

- Specific temperatures for use in denaturation, elongation and/or annealing may be
- 15 determined empirically by one skilled in the art based, for example, on the specific target sequence being amplified and the particular probes employed. Likewise, the specific time(s) that the amplification mixture is maintained at the various denaturation, elongation and/or annealing temperature(s) may be determined empirically by one skilled in the art based on similar considerations.

- 20 According to particularly preferred embodiments of the present invention, the elongation temperature selected for use in the PCR of the inventive methods is not more than about 70°C. More preferably, the elongation temperature selected is between about

60°C and about 69°C, and even more preferably between about 65°C and about 69°C. Most preferably, the elongation temperature employed in the PCR of the inventive methods is about 68°C.

According to additional preferred embodiments of the present invention, the
5 denaturation temperature selected for use in the PCR of the inventive methods is not more than about 95°C. More preferably, the denaturation temperature selected is between about 90°C and about 95°C, and even more preferably between about 93°C and about 95°C. Most preferably, the denaturation temperature employed in the PCR of the inventive methods is about 94°C.

10 According to other preferred embodiments of the present invention, when the thermal cycling includes an annealing temperature, the annealing temperature selected is about 5-10°C below the melting temperature of the primers being employed. Preferably, the annealing temperature selected is not more than about 65°C. More preferably, the annealing temperature selected is between about 57°C and about 63°C, and even more preferably
15 between about 58°C and about 62°C. Most preferably, the annealing temperature employed in the PCR of the inventive methods is about 60°C.

According to additional preferred embodiments of the present invention, during each thermal cycle, the amplification mixture is maintained at the elongation temperature for a period of not less than about 1 minute. More preferably, during each thermal cycle, the
20 amplification mixture is maintained at the elongation temperature for a period of not less

than about 2 minutes, and even more preferably for a period of not less than about 3 minutes.

According to particularly preferred embodiments of the present invention, the amplification mixture is maintained at the elongation temperature for a period of not less than about 2 minutes during the first cycle of the thermal cycling, and then the period during which said amplification mixture is maintained at the elongation temperature is increased by a period of about 5 seconds for each successive thermal cycle. Thus, for example, according to such embodiments of the present invention, if the amplification mixture was maintained at the elongation temperature for a period of 2 minutes during the first cycle of the thermal cycling, it would be maintained at the elongation temperature for a period of 2 minutes, 5 seconds for the second cycle, 2 minutes, 10 seconds for the third cycle, 2 minutes, 15 seconds for the fourth cycle, and so on until the thermal cycling is completed.

According to additional preferred embodiments of the present invention, during each thermal cycle, the amplification mixture is maintained at the denaturation temperature for a period of not more than about 1 minute. More preferably, during each thermal cycle, the amplification mixture is maintained at the denaturation temperature for a period of not more than about 45 seconds, and even more preferably for a period of not more than about 30 seconds, and still even more preferably for a period of not more than about 20 seconds. Most preferably, during each thermal cycle, the amplification mixture is maintained at the denaturation temperature for a period of not more than about 15 seconds, such as a period of about 10 seconds.

According to still other preferred embodiments of the present invention, when the thermal cycling includes an annealing temperature, the amplification mixture is maintained at the annealing temperature for a period of not less than about 30 seconds. More preferably, according to such embodiments, during each thermal cycle, the amplification mixture is
5 maintained at the annealing temperature for a period between 30 seconds and 2 minutes, and even more preferably for a period of not less than about 45 seconds. Most preferably, during each thermal cycle, the amplification mixture is maintained at the annealing temperature for a period of about 1 minute.

The number of thermal cycles employed in the PCR of the inventive methods may be
10 determined empirically by one skilled in the art depending, for example, on the suspected concentration of the target sequence of interest in the biological material being tested. According to preferred embodiments of the present invention, the amplification mixture is subjected to at least about 30 cycles of thermal cycling, and even more preferably at least about 40 cycles. Most preferably, the amplification mixture is subjected to at least about 50
15 cycles of thermal cycling.

The polymerase employed in the PCR of the inventive methods may be any of the suitable polymerases known to those skilled in the art. Preferably, the polymerase employed is a thermostable polymerase, *i.e.* a polymerase that is not adversely affected by the higher temperatures involved in thermal cycling. More preferably, the polymerase may be a *Taq*
20 polymerase, or a suitable derivative thereof and/or a proof-reading polymerase.

According to particularly preferred embodiments of the present invention, at least two polymerases are employed in the PCR of the inventive methods. Preferably, at least one

of the polymerases is a *Taq* polymerase or a suitable derivative thereof, such as TaqMan DNA polymerase (available from Applied BioSystems), and the other polymerase is a proof-reading polymerase, such as ProofStart DNA polymerase (available from Qiagen).

According to certain preferred embodiments of the present invention, the
5 amplification mixture further contains at least one thermostable inorganic pyrophosphatase. Suitable amounts of thermostable inorganic pyrophosphatase may be determined empirically by one skilled in art. Generally, when present, the ratio of thermostable inorganic pyrophosphatase to *Taq* polymerase is at least about 1:20, more preferably at least about 1:10 and even more preferably at least about 1:5.

10 The remaining parameters employed in the PCR of the inventive methods, such as the primer concentration (generally about 100-500 nM and preferably about 200 nM), magnesium concentration (generally 1.5-6 mM and preferably about 1.5 mM of magnesium sulfate and/or magnesium chloride), deoxyribonucleotide triphosphates (dNTP)
15 concentration (generally about 0.2-0.4 mM each and preferably about 0.2 mM each), probe concentration (if present, generally about 50-800 nM, and preferably about 100 nM), may each be determined empirically by one skilled in the art using any of the known methods and techniques.

According to certain particularly preferred embodiments of the present invention, the deoxyribonucleotide triphosphates (dNTP) that are employed in the PCR of the inventive
20 methods are selected from the group consisting of C, T, G and A. Preferably, substantially no dUTP is present in the amplification mixture of the inventive methods. According to still

further preferred embodiments, substantially no uracil N-glycosylase is present in the amplification mixture of the inventive methods.

According to certain particularly preferred embodiments of the present invention, the amplification mixture further comprises at least one buffer solution. Suitable buffer solutions
5 are known and available to those skilled in the art. Particularly preferred buffer solutions include pH modifying buffers, such as buffers containing Tris-HCl, and buffers which maintain salt concentration, particular magnesium concentration, such as buffers containing KCl and/or $(\text{NH}_4)_2\text{SO}_4$.

After amplification using PCR, the first and second target nucleic acid sequences are
10 detected and quantified. This detecting and quantifying may be conducted using any of the methods and techniques known to those skilled in the art. For example, detecting and quantifying of the first and second nucleic acid sequences may be conducted by adding a suitable detecting agent, such as an intercalating dye, directly to the amplification mixture or by adding a suitable nucleic acid probe to the mixture, preferably either a suitable nucleic
15 acid probe in combination with a detecting agent or a suitable nucleic acid probe having a detectable label covalently or ionically attached thereto or complexed therewith.

Preferably, the target nucleic acid sequence is detected by adding at least one nucleic acid probe to the biological material being tested. Any nucleic acid probe employed in the inventive methods should contain sufficient nucleic acid residues to hybridize selectively
20 under stringent conditions to a specific desired nucleic acid sequence, *i.e.* suitable probes will generally contain at least 16 nucleic acid residues, and preferably hybridizes selectively under stringent conditions to a specific nucleic acid sequence of the target nucleic acid sequence

that is not the same as the nucleic acid sequence of any of the primers. Suitable nucleic acid probes include, but are not limited to, 5' nuclease probes, hairpin probes, adjacent probes, sunrise probes and scorpion probes.

EXAMPLES

The following examples are illustrative, but not limiting, of the present invention. Other suitable modifications and adaptations are of the variety normally encountered by those skilled in the art and are fully within the spirit and scope of the present invention.

5 Example 1

Purpose: To demonstrate linear amplification of B19 DNA.

- Materials:
1. B19 virus, titer 7.6×10^{11} iu/ml from Bayer;
 2. SNAP whole blood DNA isolation kit;
 3. Forward Primer: Prism 5 (Figure 1) (SEQ ID NO.: 18);
 - 10 4. Reverse Primer: Prism 6 (Figure 1) (SEQ ID NO.: 20);
 5. Probe 3 (Figure 1) (SEQ ID NO.: 19) labeled with FAM at 5' end and TAMRA at 3' end;
 6. TaqMan Universal Master Mix, (ABI; cat. no. 4304437);
 7. DNASE, RNASE free water;
 - 15 8. ABI 96 well plate and adhesive cores;
 9. ANI 7000.

Procedure:

1. Followed SNAP protocol for extraction of 100 μ l B19 sample, eluted in 100 μ l TE;

2. Diluted primers to 18 μ M with TE;
- 20 3. Diluted probe to 5 μ M with TE;
4. Prepared the following master mix:

TaqMan Master Mix: 25 µl;

Prism 5 (SEQ ID NO.: 18) 2.5 µl;

Prism 6 (SEQ ID NO.: 20) 2.5 µl;

Taqman Probe 2.5 µl;

5 Water: 12.54 µl;

5. Added 45 µl of master mix per well;

6. Serially diluted B19 DNA, adding water to the NTC well;

7. Sealed and centrifuged the plate at 2300 rpm for about 30 seconds;

10 8. Ran PCR program for 50 cycles.

Results: A standard dilution curve was observed for B19 infected plasma, validating primer pair Prism 5 and Prism 6 (SEQ ID NOS.: 18 and 20) with Probe 3 (SEQ ID NO.: 19).

15 Example 2

Purpose: To examine irradiated and unirradiated samples containing PPV using a 549 bp amplicon.

Materials: 1. PPV (irradiated at 0 kGy, 50 kGy, 65 kGy, 75 kGy or 85 kGy);

20 2. SNAP Protein Degradar;

3. Cell Lysis Buffer;

4. Tris-HCl;

5. Primers: Prism 11 and Prism 12 (Figure 3) (SEQ ID NOS.:

40 and 42, respectively); and

6. Probe 6 (Figure 3) (SEQ ID NO.: 41).

5 Procedure: 1. To 100 μ l viral sample, added 50 μ l tris-HCl buffer, 60 μ l protein degrader, and 200 μ l cell lysis buffer;

2. Mixed and incubated for 25 minutes (5 minutes at 70°C);

3. Diluted samples to 1/50, 1/500, 1/5000, 1/25000, 1/50000, 1/250000 and 1/500000;

10 4. Ran PCR for 55 cycles.

Results: Results showed that unirradiated material had regular dilution series curves, irradiated material (50 kGy) behaved differently, dilute material did not amplify showing a reduction in the number of copies of the target sequence.

15 Example 3

Purpose: To determine effects of gamma irradiation (0 kGy sample, 50 kGy sample, mixture of 0+50kGy sample and 75 kGy sample) on samples containing PPV analyzed by PCR.

Materials: 1. PPV (irradiated at 0 kGy, 50 kGy or 75 kGy);

20 2. Primers: Prism 11 & Prism 12, Probe 6 (Figure 3) (SEQ ID NOS.: 40, 42 and 41, respectively);

3. Primers: Prism 1 & Prism 2, Probe 1 (Figure 3) (SEQ ID NOS.: 43, 45, and 44, respectively).

Procedure: 1. Diluted samples containing PPV to 1/100, 1/1000, 1-2000, 1/10000, 1/20000, 1/40000 and 1/400000 (0 kGy, 50 kGy, 0+50 kGy and 75 kGy);

5 2. Ran PCR program for 55 cycles.

Results: Irradiation to 50 kGy of PPV material reduced amplification of 549 bp amplicon.

Example 4

10 Purpose: To examine the relative effectiveness of Qiagen and Taqman reagents on samples containing PPV.

Materials: 1. PPV DNA (phenol extracted);
2. Taq PCR Core Kit;
3. ProofStart DNA polymerase;
15 4. Taqman Universal PCT Master Mix;
5. Prism 1, 2, 11 and 17 (Figure 3) (SEQ ID NOS.: 43, 45, 40, and 47 respectively);
6. Probes 1 and 6 (Figure 3) (SEQ ID NOS.: 44 and 41, respectively);

20 7. Agarose;
8. TAE;
9. EtBr.

Procedure:

1. Prepared the following four master mixes:

a. Qiagen:	1	2
10x buffer:	30 μ l	25 μ l
dNTP's:	9 μ l	7.5 μ l
pA:	8.34 μ l	6.95 μ l
pB:	8.34 μ l	6.95 μ l
taq:	6 μ l	5 μ l
H ₂ O:	187.32 μ l	156.1 μ l
probe:	15 μ l	12.5 μ l
b. Taqman:	3	4
Master Mix:	150 μ l	125 μ l
pA:	15 μ l	12.5 μ l
pB:	15 μ l	12.5 μ l
probe:	15 μ l	12.5 μ l
H ₂ O:	69 μ l	57.5 μ l

2. Pipetted 44 μ l of master mix 1 into row D, wells 1 and 2;

row E, wells 1 and 2; and row H, well 1, of a well plate;

3. Pipetted 44 μ l of master mix 2 into row D, wells 3 and 4;

and row E, wells 3 and 4, of a well plate;

4. Pipetted 44 μ l of master mix 3, into row F, wells 1 and 2;

row G, wells 1 and 2; and row H, well 3, of a well plate;

5. Pipetted 44 μ l of master mix 4 into row F, wells 3 and 4; and row G, wells 3 and 4, of a well plate;

6. Added 1 μ l of ProofStart taq to row D, wells 1-4 and row F, wells 1-4 and added 1 μ l water to remaining wells;

5 7. Added 5 μ l water to row H, wells 1 and 3 and added 5 μ l PPV DNA to remaining wells;

8. Ran PCR for 40 cycles.

Results: Qiaquen Master with ProofStart taq produced functional large amplicons in realtime PCR with PPV DNA more efficiently than the TaqMan master mix.

10

Example 5

Purpose: To examine the effects of proofstart in amplifying large amplicons and to examine the effects of 50 kGy irradiation on PPV.

Materials:

15

1. PPV DNA (irradiated to 0 kGy and 50 kGy);
2. Taq PCR Core Kit;
3. Proofstart DNA polymerase;
4. Prism 11, 16 and 17 (Figure 3) (SEQ ID NOS.: 40, 46 and 47, respectively);
5. Agarose;
6. Ethidium Bromide;
7. TAE buffer.

20

Procedure: 1. Set up PCR master mix as follows:

10x buffer: 50 μ l
 dNTP's: 15 μ l
 pA: 13.9 μ l (primer 11)
 taq: 10 μ l
 5 water: 347.2 μ l

2. Placed aliquots into PCR tubes;
3. Added either primer 16 or 17 to PCR tubes;
4. Added PPV DNA (diluted to 1:100) to each PCR tube;
5. Added 10 μ l proofstart to half of the samples (2 at 0 kGy
 10 and 2 at 50 kGy);
6. Performed PCR (about 55 cycles)
7. Poured a 1% gel and ran at 100 V for 20 minutes.

Results: Addition of a proofreading polymerase resulted in improved
 amplification of longer amplicons. Delay in amplification of target sequence in irradiated
 15 samples is proportional to damage done to viral genetic material.

Example 6

Purpose: To examine the effect of TSP concentration on amplification of large
 target amplicons in gamma irradiated and unirradiated PPV.

- 20 Materials:
1. TSP (cat. no. M02965);
 2. Qiagen Core kit;

3. ProofStart DNA polymerase;
4. PPV (irradiated to 0 kGy or 50 kGy).

Procedure:

- Procedure:
1. Prepared a master mix (standard PCR set-up) for each (TSP Taq 1:20, 1:10, 1:5);
 2. Added 43.61 μ l of each master mix (TSP titration) to PCR tubes;
 3. Added 1.39 μ l of primers 16, 17 or 19 (Figure 3) (SEQ ID NOS.: 46, 47, and 49, respectively) to appropriate PCT tubes;
 4. Added 5 μ l water to the negative control, which contained primer pair 11, 16 (Figure 3) (SEQ ID NOS.: 40 and 46, respectively);
 5. Diluted PPV 1:100;
 6. Added PPV to PCR tubes;
 7. Performed PCR;
 8. Poured a 1% gel and ran at 100 V for 20 minutes.

Results:

Results: Under these conditions, addition of TSP resulted in increased amplification of target amplicons in both irradiated and unirradiated samples, but irradiation of PPV resulted in decreased amplification of target amplicons.

Example 7

- 20 Purpose: To examine the effects of gamma irradiation on amplification of PPV
target amplicons of various sizes.

Materials:

1. PPV DNA (irradiated to 0 kGy or 50 kGy);

2. Taq PCR Core Kit;
3. ProofStart DNA Polymerase;
4. Prism 11, 16, 17, 18 and 19 (Figure 3) (SEQ ID NOS: 40, 46, 47, 48, and 49, respectively);
5. Agarose;
6. TAE;
7. Ethidium Bromide.

Procedure:

1. Prepared PCR Master Mix as follows:

	10x Buffer	5 μ l
10	dNTPs	1.5 μ l
	pA	1.39 μ l
	pB	1.39 μ l
	taq	1 μ l
	water	33.72 μ l
15	PPV	5 μ l

2. Aliquoted samples into PCR tubes;
3. Ran PCR;
4. Poured a 1% agarose gel and ran at 120 V for about 1.5

hours.

- 20 Results: Irradiation to 50 kGy resulted in decreased amplification of larger target amplicons.

Example 8

Purpose: To examine PCR sensitivity and determine log reduction of PPV in samples irradiated to 50 kGy and having a starting concentration of 2.5×10^7 gEq.

Materials:

1. Standard PCR reagents (Qiagen Core Kit, TSP, Proofstart, etc.);
2. Primers 11 and 17 (Figure 3) (SEQ ID NOS.: 40 and 47, respectively);
3. PPV extract.

Procedure:

1. Prepared master mix with primers 11 and 17;
2. Performed a 10 fold dilution series from 10^7 to 10^0 of PPV extract;
3. Pipetted 45 μ l of master mix into PCR tubes;
4. Pipetted 5 μ l of each PPV dilution into appropriated PCR tubes;
5. Added 5 μ l water to control;
6. Ran PCR;
7. Ran samples in 1% agarose at 100V for about 47 minutes.

Results: Irradiation of sample to 50 kGy resulted in decreased amplification of target amplicon across all concentration ranges.

Example 9

Purpose: To examine PCR sensitivity and determine log reduction of PPV irradiated to 50 kGy and having a starting concentration of 2.5×10^7 gEq.

Materials:

1. TSP;
2. Standard PCR kit (Qiagen with ProofStart Polymerase);
3. Primers 11 and 19 (Figure 3) (SEQ ID NOS.: 40 and 49, respectively);
4. PPV Extract (Irradiated to 0 kGy and 50 kGy).

Procedure:

1. Prepared master mix with primers 11 and 19 (SEQ ID NOS.: 40 and 49, respectively);
2. Performed a 10 fold dilution series from 10^7 to 10^0 of PPV extract;
3. Pipetted 45 μ l of master mix into PCR tubes;
4. Pipetted 5 μ l of each PPV dilution into appropriate PCR tubes;
5. Added 5 μ l water to control;
6. Ran PCR as follows:
 - 95°C for 2 minutes (1 cycles)
 - 94°C for 10 seconds (40 cycles)
 - 60°C for 1 minute (40 cycles)
 - 68°C for 2 minutes (40 cycles);
7. Cooled to 4°C;

8. Ran samples on 1% agarose gel in 1x TAE and 5 µl/100 ml ethidium bromide at 100 V for 52 minutes (5 µl on gel).

Results: Irradiation to 50 kGy resulted in decreased amplification of target amplicon across all concentration ranges. For unirradiated samples, relative band strength of
5 observed target amplicon decreased with decreasing concentration.

Example 10

Purpose: Primer validation for B19 using probe 7 (SEQ ID NO.: 12) and various primers.

- 10 Materials:
1. B19 IGIV Paste (irradiated to 0 kGy or 50 kGy);
 2. EXB;
 3. Proteinase;
 4. yeast tRNA
 5. phenol chloroform isoamyl alcohol;
 - 15 6. 3M NaAc;
 7. isopropanol;
 8. 70% EtOH;
 9. TE buffer;
 10. Prisms 5, 6, 20, 21, 22, 23, 24, 25, 26 (Figure 1) (SEQ ID
20 NOS.: 18, 20, 11, 13, 14, 15, 16, 17, and 21, respectively);
 11. Qiagen reagents;
 12. Ampligold Taq;

13. ProofStart Polymerase;

14. Agarose;

15. TAE;

16. Ethidium Bromide.

5 Procedure:

1. Prepared a Master Mix as follows:

Buffer 5 μ l

DNTP 1.5 μ l

Taq 1 μ l

DNA 5 μ l

10 water 34.72 μ l

2. Pipetted Master Mix into PCR tubes;

3. Added the following primer pairs to appropriate PCR tubes:

20&21 (SEQ ID NOS.: 11 and 13, respectively); 20&22 (SEQ ID NOS.: 11 and 14,
respectively); 20&23 (SEQ ID NOS.: 11 and 15, respectively); 20&24 (SEQ ID NOS.: 11
15 and 16, respectively); 20&25 (SEQ ID NOS.: 11 and 17, respectively); 20&6 (SEQ ID NOS.:
11 and 20, respectively); 20&26 (SEQ ID NOS.: 11 and 21, respectively); 5&6 (SEQ ID
NOS.: 18 and 20, respectively);

4. Ran PCR;

5. ran 1% gel for about 1 hour.

20 Results:

All tested primers yielded desired target amplicons.

Example 11

Purpose: Use of PCR multiplexing with target amplicons of about 112 bp and about 2.4 kbp for B19 virus in samples irradiated to 0 kGy or 50 kGy.

- Materials:**
1. TSP thermostable inorganic pyrophosphatase
 2. Standard PCR reagents;
 3. B19 viral extract (irradiated to 0 kGy and 50 kGy);
 4. Primers 5, 6, 20 and 25 (Figure 1) (SEQ ID NOS.: 18, 20, 11 and 17, respectively);
 5. Taq;
 6. ProofStart Polymerase.

- Procedure:**
1. Prepared standard PCR set-up with 3x master mixes, for each primer set (primer sets: 5&6 (SEQ ID NOS.: 18 and 20, respectively); 20&25 (SEQ ID NOS.: 11 and 17, respectively); 5&6 (SEQ ID NOS.: 18 and 20, respectively); and 20&25 (SEQ ID NOS.: 11 and 17, respectively));
 2. Prepared appropriate PCR tubes containing the following primer pairs: (5, 6) 0 kGy; (5, 6) 50 kGy; (20, 25) 0 kGy; (20, 25) 50 kGy; (5, 6) & (20, 25), 0 kGy; and (5, 6) and (20, 25), 50 kGy;
 3. Added 5 µl B19 to PCR tubes containing 45 µl of appropriate master mix;
 4. Added 5 µl water to control;
 5. Ran PCR.

6. Ran samples on 1% agarose gel at 100 V for about 17 minutes.

Results: PCR multiplexing is effective for mixtures containing large target amplicons and small target amplicons. Irradiation to 50 kGy resulted in decreased
5 amplification of the large target amplicon relative to the small target amplicon.

Example 12

Purpose: Irradiated and unirradiated samples containing B19 viral material were examined using real time PCR.

10 Materials: 1. B19 viral material (irradiated to 0 kGy and 50 kGy);
2. Prism pairs (20, 21) (SEQ ID NOS.: 11 and 13, respectively)
and (20, 26) (SEQ ID NOS.: 11 and 21) (Figure 1);
3. Qiagen PCR reagents;
4. Qiagen ProofStart;
15 5. Agarose;
6. TAE (1x);
7. sample loading buffer (SLB).

Procedure: 1. Prepared standard samples containing primer pairs with 10^{11}
to 10^1 dilution series;
20 2. Ran PCR (40 cycles);
3. Ran gel on 1% agarose (8 μ l PCR product, 1 μ l SLB) at 100
V for about 20 minutes.

Results: Irradiation to 50 kGy resulted in decreased amplification of large target amplicon. Unirradiated samples exhibited a regular dilution pattern.

Example 13

5 **Purpose:** To investigate the effect of gamma irradiation on samples containing HBV and irradiated to 50 kGy.

Materials:

1. HBV (irradiated to 0 kGy and 50 kGy);
2. Taq PCR Core Kit;
3. ProofStart DNA polymerase;
- 10 4. Primers 34, 9, 10, 15, 29, 30, 31, 36 and 37 (Figure 2) SEQ ID NOS.: 31, 22, 24, 25, 27, 32, 34, 28, and 29, respectively);
5. Agarose;
6. TAE Buffer;
7. ethidium bromide.

15 **Procedure:** 1. Prepared PCR master mix as follows:

10x PCR buffer	5 µl
dNTPs	1.39 µl
primers	1.39 µl
taq	1 µl
20 ProofStart	1 µl
water	33.22 µl

TSP 0.5 µl

2. Aliquoted 43.61 µl of master mix into PCR tubes.

Appropriate tubes contained the following primer pairs: (3, 4); (9, 10); (9, 15); (9, 29); (9, 30); (9, 31); (36, 37); and (9, 31), for both irradiated and unirradiated samples;

5 3. Added 5 µl HBV per tube (irradiated or unirradiated);

4. Ran PCR as follows:

50°C for 2 minutes (one cycle)

95°C for 2 minutes (one cycle)

94°C for 10 seconds (40 cycles)

10 60°C for 1 minute (40 cycles)

68°C for 2 minutes, five seconds (40 cycles);

5. Ran 1% agarose gel (9 µl sample + 1 µl sample buffer) at

100v for about 20 minutes.

Results: Irradiated samples showed no amplification of large target amplicons,
15 indicating degradation of HBV genetic material by irradiation to 50 kGy.

Example 14

Purpose: To investigate the effect of gamma irradiation on samples containing
HBV DNA and irradiated to 50 kGy.

20 Materials: 1. HBV DNA material (irradiated to 0 kGy and 50 kGy);
2. Taq PCR Core Kit (Qiagen, cat. no. 201223);
3. ProofStart Taq Polymerase (Qiagen, cat. no. 20);

4. Prisms 10, 13, 30, 36 and 37 (Figure 2) (SEQ ID NOS.: 24, 26, 32, 28, and 29, respectively);

5. Agarose;

6. TAE Buffer;

5 7. Ethidium Bromide.

Procedure:

1. Prepared the following master mix:

10x buffer	60 μ l
dNTP	18 μ l
primer 36 (SEQ ID NO.: 28)	16.68 μ l
10 Taq	12 μ l
ProofStart	12 μ l
water	440.64 μ l;

2. Pipetted 46.61 μ l of master mix into PCR tubes;

15 3. Added 1.39 μ l of reverse primer (10, 13, 30 or 37) (SEQ ID NOS.: 24, 26, 32, and 29, respectively) and 2 μ l HBV DNA (0 kGy and 50 kGy) to appropriate tubes;

4. Ran PCR for 50 cycles;

5. Poured a 1% agarose gel (8 μ l PCR product + 1 μ l sample buffer) at 100 V for about 20 minutes.

20 Results: Irradiated samples showed no amplification of large target amplicons, indicating degradation of HBV DNA by irradiation to 50 kGy.

Example 15

Purpose: HBV amplification of nested primer set (about 80 bp, 400 bp and 697 bp) in samples containing ascorbate, including digestion of 0 kGy and 50 kGy samples with
5 exonuclease I prior to PCR amplification.

Materials:

1. HBV DNA (irradiated to 0 kGy and 50 kGy, with and without ascorbate);
2. Primer sets: (9, 10) (SEQ ID NOS.: 22 and 24, respectively); (9, 15) (SEQ ID NOS.: 22 and 25, respectively); and (9, 13) (SEQ ID NOS.: 22 and 26,
0 respectively) (Figure 2);

3. Exonuclease I;
4. Standard PCR reagents.

Procedure:

1. Diluted HBV samples to 1/500, 1/2000 and 1/10000;
2. Digested 1 µl raw HBV extract in 0.25 µl Exonuclease I, 10
5 µl 10x Exonuclease I buffer and 88.75 µl water at 37°C for 30 minutes, inactivated at 80°C
for 20 minutes;

3. Dilutes digested HBV to 1/2000 and 1/10000;
4. Ran 55 cycles PCR.

Results: Irradiated showed no amplification of large target amplicon (697 bp),
10 indicating degradation of HBV DNA by irradiation to 50 kGy.

Example 16

Purpose: To investigate the amount of bacterial and fungal DNA present in pulverized tendon samples.

- Materials:**
1. E. Coli samples (tendon) – 0 or 50 kGy + stabilizer
5 (6.65x10¹⁰ CFU/μl);
 2. C. Albicans samples (tendon) – 0 or 50 kGy + stabilizer
(3.55x10⁹ CFU/μl);
 3. Staph. Aureus samples;
 4. Control tendon;
 - 0 5. Dneasey tissue kit (Qiagen, cat. no. 69504);
 6. Taq PCR Core Kit (Qiagen, cat. no. 201223);
 7. ProofStart Taq Polymerase (Qiagen, cat. no. 202205);
 8. Primers: Ribo 7 and 8, and Ribo 10, 11, 12, 13, 14 (Figures
6A and 6B) SEQ ID NOS.: 69, 70, 71, 72, and 73, respectively); and Fungi 1, 2, 3, 4, 5, 6, 7, 8
5 (Figures 7A and 7B) (SEQ ID NOS.: 75, 77, 78, 79, 80, 81, 82, and 83 respectively);
 9. Probes: FAM-RIBO
Fungi Probe (Figure 7A) (SEQ ID NO.: 76) labeled with
FAM at 5' end and TAMRA at 3' end;
 10. Microcon YM Centrifugal Filter Unit;
- Procedure:**
1. Using 0.05 tendon samples for E. coli and C. albicans,
followed the Qiagen extraction profile;

2. Prepared the following master mixes:

		Mix 1	Mix 2
	10x buffer	150 μ l	85 μ l
	dNTPs	45 μ l	25.5 μ l
	Ribo 7	41.7 μ l	---
5	Fungi 1 (SEQ ID NO. 75)	---	23.65 μ l
	Taq	30 μ l	17 μ l
	ProofStart	30 μ l	17 μ l
	Water	936.6 μ l	530.74 μ l

0	FAM-RIBO	75 μ l	---
	Fungi Probe	---	42.5 μ l

3. Filtered master mixes using Microcon filter units for 30

minutes at 100x g;

4. Pipetted 43.6 μ l of Mix 1 into: rows A-D, columns 1-6; rows

5 A-C, column 9; and row E, column 12;

5. Pipetted 43.6 μ l of Mix 2 into: rows E-F, columns 1-7 and

row H, column 12;

6. Pipetted 1.39 μ l of reverse primer into appropriate well;

7. Pipetted 5 μ l DNA into appropriate wells;

10

8. Ran PCR.

Results: Irradiation with 50 kGy resulted in decreased amplification of large target amplicons, indicating degradation of the pathogen genetic material caused by irradiation.

5 Example 17

Purpose: To show functionality of E. coli primers for RT-PCR using large target amplicons.

- Materials:
1. E. coli prepared from overnight culture;
 2. Dneasy Tissue Kit (Qiagen, cat. no. 96504);
 3. Taq PCR Core Kit (Qiagen, cat. no. 201223)
 4. ProofStart DNA polymerase (Qiagen, cat. no. 202205);
 5. Microcon YM-100 Centrifugal Filter Unit (cat. no. 42413);
 6. Primers: Ribo 1-6 (SEQ ID NOS: 62, 64, 65, 66, 67, and 68, respectively) and Ribo 7-9;
 7. Agarose;
 8. TAE Buffer;
 9. Ethidium Bromide.

- Procedure:
1. Pipetted 1 ml of E. coli culture into each of 10 1.5 tubes;
 2. Centrifuged all 10 tubes for 5 minutes at maximum speed;
 3. Discarded supernatant;
 4. Placed 8 tubes in -80°C and used 2 tubes for extraction

following the Qiagen protocol;

5. Prepared Master Mix as follows:

10x Buffer	5 μ l
dNTPs	1.5 μ l
pA	1.39 μ l (Ribo 1 (SEQ ID NO.: 62))

5 or (Ribo 7)

pB	1.39 μ l (Ribo 2, 3, 4, 5, or 6) (SEQ ID
----	--

NOS.: 64, 65, 66, 67, or 68, respectively) or (Ribo 8 or 9)

Taq	1 μ l
ProofStart	1 μ l
Water	33.22 μ l
TSP	0.5 μ l

0

6. Mixed Master Mix by inversion;

7. Pipetted Master mix into a Microcon Centrifugal Filter Unit

and centrifuged for 30 minutes at 100x g;

.5

8. Pipetted 43.61 μ l of Master Mix into PCR tubes;

9. Added appropriate reverse primer and DNA or water to

create the following primer pairs: (1, 2) + 5 μ l DNA; (1, 2) + 1 μ l; (1, 3) + 5 μ l DNA; (1, 3)+ 1 μ l DNA; (1, 4) + 5 μ l DNA; (1, 4) + 1 μ l DNA; (1, 5) + 5 μ l DNA; (1, 5) + 1 μ l DNA;(1, 6) + 5 μ l DNA; (1, 6) + 1 μ l DNA; (5, 8) + 5 μ l DNA; (7, 8) + 1 μ l DNA; (7, 9) + 5 μ l20 DNA; (7, 9) + 1 μ l DNA; and (1, 2) + 5 (1, 4) + 5 μ l water;

10. Ran PCR;

11. Ran 1 % Agarose gel at 100 V for about 20 min.

Results: All *E. coli* primers showed amplification of target sequences, regardless of size.

Example 18

5 Purpose: To investigate the effects of 50 kGy irradiation on samples containing *E. coli*.

Materials:

1. *E. coli* spiked tendon (irradiated to 0 kGy and 50 kGy) +
6.65x10¹⁰ CFU/μl;
2. Taq PCR Core Kit (Qiagen, cat. no. 201223);
3. ProofStart Taq Polymerase (Qiagen, cat. no. 202205);
4. Primers: Ribo 7 and 8, and Ribo13, 14 and 15 SEQ ID
NOS.: 72, 73, and 74, respectively);
5. Agarose;
6. TAE Buffer;
7. Ethidium Bromide;
8. Microcon Centrifugal Filter Unit.

15

Procedure:

1. Prepared Master Mix as follows:

10x Buffer	60 μl
dNTP	18 μl
pA (forward)	16.68 μl
Taq	12 μl

20

ProofStart 12 μ l

Water 452.64 μ l;

2. Placed in Microcon and centrifuged for 30 minutes at 100x g;

3. Pipetted 47-61 μ l master mix into each or 9 PCR tubes;

5 4. Added 1.39 μ l of reverse primer and 1 μ l DNA into
appropriate tubes;

5. Ran PCR.

6. Ran 1% Agarose gel (8 μ l sample + 1 μ l sample buffer) at
100 V for about 20 minutes.

10 Results: Samples irradiated to 50 kGy showed progressive disappearance of
bands with increasing amplicon size, indicating degradation of the E. coli genetic material
caused by irradiation.

Example 19

15 Purpose: To show functionality of Mt-DNA primers for RT-PCR using large
target amplicons.

Materials:

1. Tendon DNA (irradiated to 0 kGy and 50 kGy);
2. ROX 6 (1/10 dilution) molecular probes;
3. Primers: MITO 1, 2, 3, 4, and 5 (Figure 8) (SEQ ID NOS.:
20 90, 92, 95, 96, and 97, respectively);
4. MITO Probe 1 (Figure 8) (SEQ ID NO.: 91);

5. Human DNA;
6. Qiagen PCR Reagents;
7. Qiagen ProofStart.

Procedure:

1. Prepared the following mixtures:

5	Buffer	1.5 µl
	dNTPs	1.5 µl
	MITO 1	2.5 µl
	reverse primer	2.5 µl (MITO 2, 3, 4 or 5)
	MITO Probe	2.5 µl
0	Taq	1 µl
	PS	1 µl
	1/10 ROX	1 µl
	water	28 µl
	DNA	5 µl

- 5 2. Ran 40 PCR;
3. Ran 1% agarose gel (8 µl product + 1 µl sample loading buffer) at 100 V for about one hour.

Results: Mt-DNA primers were functional, regardless of amplicon size.

Example 20

10

Purpose: Real-time PCR amplification of human DNA (large amplicons).

Materials:

1. 10 ng of human control DNA; Calbiochem, Human
Genomic DNA, Cat #HCD01, Lot # D10498;

2. Taq PCR Core Kit;

3. ProofStart DNA Polymerase;

5 4. Primers and Probes;

5. Agarose;

6. TAE;

7. Ethidium Bromide.

Procedure:

1. Prepared PCR Master Mix as follows:

0	10x Buffer	5 µl
	dNTPs	1.5 µl
	Mito 1 (SEQ ID NO. 90)	2.5 µl
	Reverse Primer (Mito 5 or 7)	
	(SEQ ID NO. 97 or 99, respectively)	2.5 µl
15	MitoProbe 1 (SEQ ID NO. 91)	2.5 µl
	taq	1 µl
	Proof Start	1 µl
	water	31 µl
	water or DNA	3 µl

20 2. Ran PCR (50 cycles);

3. Ran 8 μ l PCR Products on 1% agarose gel and ran at 100 V
for about 20 minutes.

Results: Target sequences greater then 8,000 nucleic acid residues can be
5 successfully amplified with Real-time PCR.

Example 21

Purpose: Real-time PCR on fibular bone rings to detect bacterial contamination
in unirradiated bone samples.

0

Materials:

1. Bacterial extracts from bones;
2. Taq PCR Core Kit (Qiagen, Cat#201223);
3. ProofStart DNA Polymerase (Qiagen, Cat#202205);
4. Primers: Ribo 7 and 10 (SEQ ID NOS. 100 and 69,
.5 respectively);

5. Probe: FAM-RIBO (SEQ ID NO. 101);

6. Optically clear plates and seals;

Procedure:

1. Prepared PCR setup as follows:

		Per run	x23
20	10x Buffer	5 μ l	115 μ l
	dNTPs	1.5 μ l	34.5 μ l
	pA	3.5 μ l	80.5 μ l

pB	3.5 µl	80.5 µl
Probe	2.5 µl	57.5 µl
taq	0.25 µl	5.75 µl
Proof Start	1 µl	23 µl
water	30.75 µl	707.25 µl

2. Aliquot 48 µl into A4-7, B4-7, C4-7, D4-7, and H11-12;
3. Pipet 2 µl of appropriate DNA into each well
4. Seal plate and run "long" program on the thermocycler (40 cycles).

10 Results: Of 103 bone samples, 40% were found to be contaminated with bacteria.

 Having now fully described this invention, it will be understood to those of ordinary skill in the art that the methods of the present invention can be carried out with a wide and equivalent range of conditions, formulations and other parameters without departing from
15 the scope of the invention or any embodiments thereof.

 All patents and publications cited herein are hereby fully incorporated by reference in their entirety. The citation of any publication is for its disclosure prior to the filing date and should not be construed as an admission that such publication is prior art or that the present invention is not entitled to antedate such publication by virtue of prior invention.

20 The foregoing embodiments and advantages are merely exemplary and are not to be construed as limiting the present invention. The present teaching can be readily applied to other types of apparatuses. The description of the present invention is intended to be

illustrative, and not to limit the scope of the claims. Many alternatives, modifications, and variations will be apparent to those skilled in the art. In the claims, means-plus-function clauses are intended to cover the structures described herein as performing the recited function and not only structural equivalents but also equivalent structures.

WHAT IS CLAIMED IS:

1. A method for analyzing a target nucleic acid sequence in a biological material, said method comprising:

5 (1) adding to said biological material an effective amount of at least
two nucleic acid primers,

wherein said nucleic acid primers hybridize under stringent conditions to predetermined nucleic acid sequences of said target nucleic acid sequence that are separated by at least about 750 nucleic acid residues,

(ii) amplifying said target nucleic acid sequence by polymerase chain reaction, said polymerase chain reaction comprising adding a polymerase to said biological material and primers to form an amplification mixture and thermally cycling said amplification mixture between at least one denaturation temperature and at least one elongation temperature,

15 wherein said elongation temperature is not more than about 70°C and said denaturation temperature is not more than about 95°C, and further wherein during each thermal cycle said amplification mixture is maintained at said denaturation temperature for a period of not more than about 30 seconds and at said elongation temperature for a period of not less than about 1 minute; and

20 (iii) detecting and quantifying said target nucleic acid sequence.

2. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 1000 nucleic acid residues of said target nucleic acid sequence

3. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 2000 nucleic acid residues of said target nucleic acid sequence

5

4. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 3000 nucleic acid residues of said target nucleic acid sequence

0

5. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 4000 nucleic acid residues of said target nucleic acid sequence.

5

6. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 5000 nucleic acid residues of said target nucleic acid sequence.

20

7. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by only about 500 nucleic acid residues of said target nucleic acid sequence.

8. The method according to claim 1, wherein said step (i) further comprises adding at least one nucleic acid probe to said biological material.

25

9. The method according to claim 8, wherein said nucleic acid probe is selected from the group consisting of 5' nuclease probes, hairpin probes, adjacent probes, sunrise probes and scorpion probes.

30

10. The method according to claim 1, wherein said elongation temperature is between about 60°C and about 69°C.

11. The method according to claim 1, wherein said elongation temperature is between about 65°C and about 69°C.

5 12. The method according to claim 1, wherein said denaturation temperature is between about 90°C and about 95°C.

13. The method according to claim 1, wherein said denaturation temperature is between about 93°C and about 95°C.

0

14. The method according to claim 1, wherein during each thermal cycle said amplification mixture is maintained at said denaturation temperature for a period of not more than about 20 seconds.

5 15. The method according to claim 1, wherein during each thermal cycle said amplification mixture is maintained at said denaturation temperature for a period of not more than about 10 seconds.

16. The method according to claim 1, wherein during each thermal cycle said
0 amplification mixture is maintained at said elongation temperature for a period of not less than about 2 minutes.

17. The method according to claim 1, wherein during each thermal cycle said
5 amplification mixture is maintained at said elongation temperature for a period of not less than about 3 minutes.

18. The method according to claim 1, wherein the period during which said
0 amplification mixture is maintained at said elongation temperature during each thermal cycle is increased by a period of about 5 seconds for each successive thermal cycle.

19. The method according to claim 1, wherein said amplification mixture is thermally cycled for at least 30 cycles.

20. The method according to claim 1, wherein said amplification mixture is thermally cycled for at least 40 cycles.

21. The method according to claim 1, wherein said amplification mixture is thermally cycled for at least 50 cycles.

22. The method according to claim 1, wherein said biological material has been subjected to an environment or process that may have altered said target nucleic acid sequence.

23. The method according to claim 1, wherein said polymerase is a *Taq* polymerase.

24. The method according to claim 1, wherein said polymerase is a proof-reading *Taq* polymerase.

25. The method according to claim 1, wherein said amplification mixture further comprises at least one thermostable inorganic pyrophosphatase.

26. The method according to claim 25, wherein the ratio of *Taq* polymerase to thermostable inorganic pyrophosphatase is about 5:1.

CI0042PCTseqlisting.ST25
SEQUENCE LISTING

<110> Clearant, Inc.
Mckenney, Keith
Gillmeister, Lidja
Marlowe, Kristina
Armistad, David

<120> Real-Time Polymerase Chain Reaction Using Large Target Amplicons

<130> CI-0042PCT

<150> 10/361,004

<151> 2003-02-10

<160> 101

<170> PatentIn version 3.2

<210> 1

<211> 5594

<212> DNA

<213> B19 virus

<400> 1

ccaaatcaga	tgccgccggt	cgccgccggt	aggcgggact	tccggtacaa	gatggcggac	60
aattacgtca	tttctgtga	cgctatttcc	tgtgacgtca	cttcgggtg	gcgggacttc	120
cgaattagg	gttggtctg	ggccagcttg	cttgggggtg	ccttgacact	aagacaagcg	180
gcgcgcgct	tgctttagt	gcacgtcaac	cccaagcgct	ggcccagagc	caacccta	240
tccggaagtc	ccgccaccg	gaagtgcgt	cacaggaat	gacgtcacag	gaaatgacgt	300
aattgtccgc	catctgtac	cggaaagtccc	gcctaccggc	ggcgaccggc	ggcatctgat	360
ttggtgtctt	cttttaaat	ttagcgggct	tttttccgc	cttatgcaaa	tgggcagcca	420
ttttaagtgt	ttcactataa	ttttattggt	cagttttgta	acggttaaaa	tggcgggagc	480
gtaggcgggg	actacagtat	atatagcacg	gcactgccgc	agctctttct	ttctggggctg	540
ctttttcctg	gactttcttg	ctgttttttg	tgagctaact	aacagggtatt	tatactactt	600
gttaacatac	taacatggag	ctattttagag	gggtgcttca	agtttcttct	aatgttcttg	660
actgtgctaa	cgataactgg	tggtgctctt	tactggattt	agacacttct	gactgggaac	720
cactaactca	tactaacaga	ctaattggcaa	tatacttaag	cagtggtgct	tctaagcttg	780
actttaccgg	ggggccacta	gcggggtgct	tgtaactttt	tcaagtagaa	tgtaacaaat	840
ttgaagaagg	ctatcatatt	catgtggtta	ttggggggcc	agggttaaac	cccgaaacc	900
tcacagtggt	tgtagagggg	ttatttaata	atgtacttta	tcaccttgta	actgaaaatg	960
taaagctaaa	atttttgccca	ggaatgacta	caaaaggcaa	atactttaga	gatggagagc	1020
agtttataga	aaactattta	atgaaaaaaa	tacctttaaa	tgttgtatgg	tgtgttacta	1080
atattgatgg	atatatagat	acctgtattt	ctgtactttt	tagaagggga	gcttgccatg	1140
ccaagaaacc	ccgcattacc	acagccataa	atgacactag	tagtgatgct	ggggagtcta	1200
gcggcacagg	ggcagaggtt	gtgccaat	atgggaagg	aactaaggct	agcataaagt	1260
ttcaactat	ggtaactcgg	ttgtgtgaaa	acagagtgtt	tacagaggat	aagtggaaac	1320

CI0042PCTseq1isting.ST25

tagttgactt taaccagtac actttactaa gcagtagtca cagtggaaagt tttcaaattc	1380
aaagtgcact aaaactagca atttataaag caactaattt agtgccctaca agcacatttc	1440
tattgcatac agactttgag cagggttatgt gtattaaaga caataaaatt gttaaattgt	1500
tactttgtca aaactatgac cccctattag tggggcagca tgtgttaaag tggattgata	1560
aaaaatgtgg caagaaaaat acactgtggt tttatgggcc gccaaagtaca ggaaaaacaa	1620
acttggaat ggccattgct aaaagtgttc cagtatatgg catggttaac tggataaatg	1680
aaaactttcc atttaatatg gtagcagga aaagcttggt ggtctgggat gaaggtatta	1740
ttagctctac aattgtagaa gctgcaaaag ccattttagg cgggcaaccc accagggtag	1800
atcaaaaaat gcgtggaagt gtagctgtgc ctggagtacc tgtggttata accagcaatg	1860
gtgacattac ttttgttgta agcgggaaca ctacaacaac tgtacatgct aaagccttaa	1920
aagagcgaat ggtaaaagta aactttactg taagatgcag ccctgacatg gggttactaa	1980
cagaggctga tgtacaacag tggcttatcat ggtgtaatgc acaaagctgg gaccactatg	2040
aaaactgggc aataaactac acttttgatt tccctggaat taatgcagat gccctccacc	2100
cagacctcca aaccacccca attgtcacag acaccagtat cagcagcagt ggtggtgaaa	2160
gctctgaaga actcagtga agcagctttt ttaacctcat caccacaggc gcctggaaca	2220
ctgaaacccc gcgctctagt acgcccattc cgggacaggc ttcaggagaa tcatttgtcg	2280
gaagctcagt ttctccgaa gttgtagctg catcggtgga agaagccttc tacacacctt	2340
tggcagacca gtttcgtgaa ctgttagttg gggttgatta tgtgtgggag ggtgtaagg	2400
gtttacctgt gttgtgtgtg caacatatta acaatagtg gggaggcttg ggactttgtc	2460
cccattgcat taatgtagg gcttggtata atggatggaa atttcgagaa ttacccccag	2520
atttgggtgc gtgtagctgc catgtgggag ctctaatcc cttttctgtg ctaacctgca	2580
aaaaatgtgc ttactgtct ggaattgcaa gctttgtaga ttatgagtaa agaaagtggc	2640
aaatggtggg aaagtgatga taaattgtct aaagctgtgt atcagcaatt tgtggaattt	2700
tatgaaaagg ttactggaac agacttagag cttattcaaa tattaanaa tcactataat	2760
atttctttag ataattccct agaaaaacca tcctctctgt ttgacttagt tgctcgatt	2820
aaaaataacc ttaaaaactc tccagactta tatagtcac attttcaaag tcatggacag	2880
ttatctgacc accccatgc cttatcatcc agtagcagtc atgcagaacc tagaggagaa	2940
aatgcagtat tatctagtga agacttacac aagcctgggc aagttagcgt acaactacc	3000
ggtactaact atgttgggcc tggcaatgag ctacaagctg gggcccgca aagtgtctgt	3060
gacagtgtcg caaggattca tgactttagg tatagccaac tggctaagt gggataaat	3120
ccatatactc attggactgt agcagatgaa gagcttttaa aaaatataaa aaatgaaact	3180
gggtttcaag cacaagtagt aaaagactac ttacttttaa aaggtgcagc tgccctgtg	3240
gccattttc aagggaagtt gccggaagtt cccgcttaca acgectcaga aaaatacca	3300
agcatgactt cagttaattc tgcagaagcc agcactggtg caggaggggg tggcagtaat	3360

CI0042PCTseq]isting. ST25

cctgtcaaaa	gcatgtggag	tgagggggcc	acttttagtg	ccaactctgt	aacttgtaca	3420
ttttccagac	agtttttaat	tccttatgac	ccagagcacc	attataaggt	gttttctccc	3480
gcagcaagca	gctgccacaa	tgccagtgga	aaggaggcaa	aggtttgac	aattagttccc	3540
ataatgggat	actcaacccc	atggagatat	ttagatttta	atgctttaaa	tttatttttt	3600
tcacctttag	agtttcagca	cttaattgaa	aattatggaa	gtatagcttc	tgatgcttta	3660
actgtaacca	tatcagaata	tgctgttaag	gatgttacag	acaaaactgg	agggggggta	3720
caggttactg	acagcactac	agggcgcccta	tccatgttag	tagaccatga	atacaagtac	3780
ccatatgtgt	taggacaagg	tcaggatact	ttagcccccag	aacttccctat	ttgggtatac	3840
tttccccctc	aatatgctta	cttaacagta	ggagatgtta	acacacaagg	aatctctgga	3900
gacagcaaaa	aattagcaag	tgaagaatca	gcattttatg	ttttggaaca	cagttctttt	3960
cagcttttag	gtacaggagg	tacagcaact	atgtcttata	agtttctctc	agtgccccc	4020
gaaaatttag	agggctgcag	tcaacacttt	tatgaaatgt	acaatccctt	atacggatcc	4080
cgcttagggg	ttcctgacac	attaggagggt	gacccaaaat	ttagatcttt	aacacatgaa	4140
gaccatgcaa	ttcagcccca	aaacttcatg	ccaggggccac	tagtaaaact	agtgtctaca	4200
aaggaggggag	acagctctaa	tactggagct	ggaaaagcct	taacaggcct	tagcacaggc	4260
acctctcaaa	acactagaat	atccttacgc	cctggggccag	tgtcacagcc	ataccaccac	4320
tgggacacag	ataaatatgt	tccaggaata	aatgccattt	ctcatggtca	gaccatttat	4380
ggtaacgctg	aagacaaaga	gtatcagcaa	ggagtgggta	gatttccaaa	tgaaaaagaa	4440
cagctaaaac	agttacaggg	tttaaacatg	cacacctatt	tccccataa	aggaaccagg	4500
caatatacatg	atcaaattga	gcgccccta	atggtgggtt	ctgtatggaa	cagaagagcc	4560
cttctactatg	aaagccagct	gtggagtaaa	attccaaatt	tagatgacag	ttttaaaact	4620
cagtttgag	ccttaggagg	atgggggttg	catcagccac	ctcctcaaat	atttttaaaa	4680
atattaccac	aaagtgggcc	aattggaggt	attaaatcaa	tgggaattac	taccttagtt	4740
cagtatgccg	tgggaattat	gacagtaact	atgacattta	aattggggcc	ccgtaaaagt	4800
acgggacggt	ggaatcttca	acctggagta	tatccccgcg	acgcagcagg	tcatttacca	4860
tatgtactat	atgaccccac	agctacagat	gcaaaacaac	accacaggca	tgatatacga	4920
aagcctgaag	aattgtggac	agccaaaagc	cgtgtgcacc	cattgtaaac	actccccacc	4980
gtgccctcag	ccaggatgcg	taactaaacg	cccaccagta	ccaccagac	tgtaacctgc	5040
ccctctctgta	cctataagac	agcctaacac	aaaagatata	gacaatgtag	aattttaagta	5100
cttaaccaga	tatgaacaac	atgttattag	aatgttaaga	ttgtgtaata	tgatcaaaaa	5160
tttagaaaaa	taaacatttg	ttgtgggtta	aaaattatgt	tgttgcgctt	taaaaattta	5220
aaagaagaca	ccaatcaga	tgccgccggt	cgccgcggt	aggcgggact	tccggtacaa	5280
gatggcgga	aattacgtca	tttctctgta	cgctatttcc	tgtagcgtca	cttcgggtgg	5340
gcgggacttc	cggaattagg	gttggtctctg	ggccagcgct	tggggttgac	gtgccactaa	5400

CI0042PCTseqlisting.ST25

gacaagcggc gcgccgcttg tcttagtgtc aaggcaacc caagcaagct ggcccagagc 5460
 caaccctaat tccggaagtc ccgcccaccg gaagtgcagt cacaggaaat gacgtcacag 5520
 gaaatgacgt aattgtccgc catcttgtag cggaagtccc gcctaccggc ggcgaccggc 5580
 ggcattctgat ttgg 5594

<210> 2
 <211> 3221
 <212> DNA
 <213> Hepatitis B virus

<400> 2
 ttccactgcc ttccaccaag ctctgcaaga ccccgagtc aggggtctgt attttcctgc 60
 tgggtggctcc agttcaggaa cagtaaaccc tgctccgaat attgctctc acatctcgtc 120
 aatctccgcg aggaccgggg accctgtgac gaacatggag aacatcacat caggattctc 180
 aggacccctg cccgtgttac aggcgggggt tttcttgttg acaagaatcc tcacaatacc 240
 gcagagtcta gactcgtggt ggaattctct caattttcta gggggatcac ccgtgtgtct 300
 tggccaaaat tcgcatcccc caacctcaa tcactacca acctcctgtc ctccaatttg 360
 tctcgtgttat cgctggatgt gtctcgggcg ttttatcata ttcctcttca tcctgctgct 420
 atgctctatc ttcttattgg ttctctgga ttatcaaggt atgttgcccg ttgtctctct 480
 aattctagga tcaacaacaa ccagtacggg accatgcaa acctgcacga ctctgctca 540
 aggcaactct atgtttccct catgttgctg tacaaaacct acggatggaa attgcacctg 600
 tattcccatc ccactgtctt gggctttcgc aaaataccta tgggagtggg ctcagtcg 660
 tttctcttgg ctcagtttac tagtgccatt tgttcagtgg ttcgtagggc tttccccac 720
 tgtttggcct tcagctatat ggatgatgtg gtattggggg ccaagtctgt acagcatcgt 780
 gaggctcttt ataccgtgt taccaatttt cttttgtctc tgggtataca tttaaacct 840
 aacaaaacaa aaagatgggg ttattcccta aacttcatgg gttatgtaat tggaagtgg 900
 ggaacattgc cacaggatca tattgtacaa aaaatcaaac actgttttg aaaacttcct 960
 gtaacaggc ctattgattg gaaagtatgt caagaattg tgggtctttt gggctttgct 1020
 gctcctttta cacaatgttg atatcctgcc ttaatgccct tgatgcatg tatacaagct 1080
 aaacaggctt tcactttctc gccaaactac aaggcctttc taagtaacaa gtacatgaac 1140
 ctttaccctg ttgctcgcca acggcctggt ctgtgccaag tatttgctga tgcaaccccc 1200
 actggctggg gcttgccat aggccatcag cgcatgcgcg gaacctttgt ggcctctctg 1260
 ccgatccata ctgcggaact cctagccgct tgttttgctc gcagccggtc tggagcgaaa 1320
 ctcatcggaa ctgacaattc tgtcgtcctc tcgcggaaat atacctggtt tccatggcta 1380
 ctaggctgtg ctgccaaact gatccttcgc gggacgtcct ttgtttacgt ccgctcggcg 1440
 ctgaatcccg cggacgaccc ctctcggggc cgcttgggac tctctcgctc ccttctcgt 1500
 ctgccgttcc agccgaccac gggcgccacc tctctttacg cggctctccc gtctgtgctc 1560

CI0042PCTseqlisting.ST25

tctcatctgc	cggtccgtgt	gcacttcgct	tcacctctgc	acgttgcatg	gagaccaccg	1620
tgaacgccca	tcagatcctg	cccaaggctc	tacataagag	gactcttgga	ctcccagcaa	1680
tgtaacacg	cgaccttgag	gcctacttca	aagactgtgt	gtttaaggac	tgggaggagc	1740
tgggggagga	gattaggtta	aaggctcttg	tattaggagg	ctgtaggcat	aaattggtct	1800
gcgaccacgc	accatgcaac	tttttcacct	ctgcctaate	atctcttgta	catgtcccac	1860
tgttcaagcc	tccaagctgt	gccttgggtg	gctttggggc	atggacattg	acccttataa	1920
agaatttggg	gctactgtgg	agttactctc	gttttgcct	tctgacttct	ttccttccgt	1980
cagagatctc	ctagacaccg	cctcggctct	gtatcgggaa	gccttagagt	ctcctgagca	2040
ttgtcacct	caccataccg	cactcaggca	agccattctc	tgctgggggg	aattgatgac	2100
tctagctacc	tgggtgggta	ataatttggg	agatccagca	tccagggatc	tagtagtcaa	2160
ttatgttaat	actaacatgg	gattaaagat	caggcaactc	ttgtggttcc	atatctcttg	2220
ccttactttt	ggaagagaaa	ctgtacttga	atatttggtc	tctttcggag	tgtggattcg	2280
cactctccca	gcctatagac	caccaaatgc	ccctatctta	tcaaaccttc	cggaaactac	2340
tgtgttaga	cgacgggacc	gaggcaggtc	ccctagaaga	agaactccct	cgcctcgcag	2400
acgcagatct	caatcgccgc	gtcgcagaag	atctcaatct	cgggaatctc	aatgttagta	2460
ttccttggac	tcataagggt	ggaaacttca	ctgggcttta	ttcctctaca	gcacctatct	2520
ttaatcttga	atggcaaaact	ccttcctttc	ctaaaattca	tttacaagag	gacattatta	2580
ataggtgtca	acaatttgtg	ggccctctca	ctgtaaatga	aaagagaaga	ttgaaattaa	2640
ttatgcctgc	tagattctat	cctaccaca	ctaaatattt	gcccttagac	aaaggaatta	2700
aaccttatta	tccagatcag	gtagttaatc	attacttcca	aaccagacat	tatttacata	2760
ctctttggaa	ggcgggtatt	ctatataaga	gagaaaccac	acgtagcgca	tcattttgcg	2820
ggtcaccata	ttcttgggaa	caagagctac	agcatgggag	gttggtcatc	aaaacctcgc	2880
aaaggcatgg	ggacgaatct	ttctgttccc	aacctcttgc	gattctttcc	cgatcatcag	2940
ttggaccctg	tattcgagac	caactcaaac	aatccagatt	gggacttcaa	ccccatcaag	3000
gaccactggc	cagcagccaa	ccaggtagga	gtgggagcat	tcgggccagc	gttcaccctc	3060
ccacacggcg	gtgttttggg	gtggagccct	caggctcagg	gcattgtgac	cccagtgatc	3120
acaattcctc	ctcttcgctc	cgccaatcgc	cagttaggaa	ggcagcctac	tcccatctct	3180
ccacctctaa	gagacagtca	tcctcaggcc	atgcagtggg	a		3221

<210> 3
 <211> 5075
 <212> DNA
 <213> Porcine parvovirus

<400>	3	
aatcttttaa	ctgaccaact	gtctttgcgt atggtgacgt gatgacgcgc gctacgcgcg 60
ctgccttcg	cagtcacacg	tcaccatcag caaagacagt tggcagttt aaagattaat 120
aagacattcc	attggctgaa	aagaggcggg aaattcaaaa aaagaggcgcg gaaaaaaa 180

CI0042PCTseqlisting.ST25

ggtagagcct aacactataa atacagttgc ttacttcagt tagttccttt ctgcttcaga	240
ctgcacttcg ctccagagac acagctacaa actactctca gctactgcag catggcagcg	300
gaaacacttt actcgaaga ggtactaaaa gctaccaact ggcttcaaga taatgctcaa	360
aaaagaagcat tctcttatgt atttaaaaca caaaaagtca atctaaatgg aaaagaaatt	420
gcttggaata actacaacaa agatacaaca gatgcggaaa tgataaacct acaagaggga	480
gcagaacat catgggacca ggcaacagac atggaatggg aatcagaaat cgacagcttc	540
acaaaacggc aagtactgat tttgactct ctgttataaa aatgtctctt tgaagggtata	600
ttgcaaaaga acctaatgtc aagtactgc tactggttca tacagcatga acatggtcaa	660
gatactggct atcactgcca tgtactacta ggtgaaaaag gcttacaaca agcaatggga	720
aaatggttca gaaaacaatt aaacaattta tggagtagat ggttaataat gcaatgcaaa	780
gtacctctaa caccagttga aagaataaaa ttaagggaat tagcagagga tggtagtggtg	840
gtatcgctac taacctacac tcacaaacaa actaaaaaac aatatacaaa aatgactcat	900
tttgaaataa tgattgctta ctacttccta aataaaaaaa gaaagacaac tgaagagagag	960
catggatatt atctcagctc agattctggc ttcatgacaa atttcttaaa agaaggcgag	1020
agacacttag tcagtcacct atttactgaa gcaataaac ctgaaactgt ggaacaacg	1080
gttactacag ctcaggaagc caaaagaggc agaatacaaa caaaaaaga agtaagcata	1140
aatgaccaa taagagactt ggtaataaaa agatgtacta gcatagaaga ctggatgatg	1200
acagatccag acagttatat agaaatgatg gctcaaacgg gaggagaaaa tttaatcaaa	1260
aatacactag aaataacaac tcttactcta gcaagaacaa aaacagcata tgacttaata	1320
cttgaaaagg caaaaccaag catgctacca acatttaata ttagcaatac aagaacatgt	1380
aaaataattca ctgtgcacaa ttggaactac attaaagtct gccatgctat aacttgtgta	1440
ctaaacagac aaggaggaaa aagaaataca attctatttc atgggcccag atcaacagga	1500
aaaagtataa ttgctcaaca cattgcaaac ttagtgtgta atgttggtt ctacaatgca	1560
gccaatgtga actttccatt taatgactgt acaataaaaa acttaatatg gattgaagaa	1620
gcaggaaact tctctaacca agtaaaccaa ttcaaagcca tatgttcagg tcaaacatt	1680
agaattgacc aaaaaggtaa aggaagcaaa caaattgaac caactcctg aataatgact	1740
acaaatgaag acataactaa agttagaata ggatgcgagg aaagaccaga acatacacia	1800
ccaataagag acagaatgtt aaacataaac ctaaccagaa aactgccagg tgattttgga	1860
cttttagaag aaactgaatg gccactaata tgtgcttggt tggtaaagaa aggtaccac	1920
gcacaatgg ctagtctatat gcatcattgg ggaatgtac ctgattggtc agaaaaatgg	1980
gaggagccaa aaatgcaaac ccaataaat acaccaacag actctcagat ttccacatca	2040
gtgaaaactt cgccagcgga caacaactac gcagcaactc caatacagga ggacctggat	2100
ttagctttag ccttgaggcc gtggagcgag ccaacaacac caactttcac caactgcac	2160
ttaactccaa caccgcgaga ttcagcaata cggacaccaa gtccaactgt gtcggaata	2220

CI0042PCTseqlisting.ST25

gaaaccgaca taagagcctg ctttggtgaa aactgtgcac ccacaacaaa ccttgaataa	2280
ggtaggatgg gcgcctctgc aaaaagagca agaggtaagg gtagttttaa gggggtggtg	2340
ggcatacata taaactaac tgcaataat tttttatat attacaggac taactctacc	2400
aggatacaaa taccttggtc caggaaactc actagaccaa ggagaaccaa ctaatccatc	2460
agacgcgca gcaaaagaac acgacgaagc ctacgacaaa tacataaaat ctggaaaaaa	2520
tcctacttc tactttctag cagctgatga aaaattcata aaagaaactg aacacgcaaa	2580
agactacgga ggtaaaaattg gacattactt ctcagagca aagcgtgcct ttgctccaaa	2640
actctcagaa acagactcac caactacatc tcaacaacca gaggtaaaga gatcgccgag	2700
aaaacaccca ggggtctaac caccaggaaa aagacctgct ccaagacata tttttataaa	2760
cttagctaaa aaaaaagcta aagggacatc taatacaaac tctaactcaa tgagtgaaaa	2820
tgtggaacaa cacaacccta ttaatgcagg cactgaattg tctgcaacag gaaatgaatc	2880
tgggggtggg ggcggcggtg gcgggggtag ggggtctggg ggggttggtg tgtctacagg	2940
tactttcaat aatcaaacag aatttcaata cttgggggag ggcttggtta gaatcactgc	3000
acacgcatca agactcatc atctaaatat gccagaacac gaaacataca aaagaatata	3060
tgtactaaat tcagaatcag ggggtggcggg acaaatggta caagacgatg cacacacaca	3120
aatggttaaca ccttggtcac taatagatgc taacgcattg ggagtggtgt tcaatccagc	3180
ggactggcag ttaatatcca acaacatgac agaataaac ttagttagtt ttgaacaaga	3240
aatattcaat gtagacttta aaacaattac agaatcagca acctcaccac caacaaaat	3300
atataataat gatctaactg caagcttaat ggtcgacta gacaccaata acacacttcc	3360
atacacacca gcagcaccta gaagtgaac acttggtttt tatccatggt tacctacaaa	3420
accaactcaa tacagatatt acctatcatg catcagaaac ctaaatccac caacatacac	3480
tggaacaatca caacaataaa cagactcaat acaaacagga ctacacagtg acattatggt	3540
ctacacaata gaaaatgcag taccaattca tcttctaaga acaggagatg aattctccac	3600
aggaaatatat cactttgaca caaaaccact aaaattaact cactcatggc aaacaacag	3660
atctctagga ctgcctccaa aactactaac tgaacctacc acagaaggag accaacaccc	3720
aggaaaccta ccagcagcta acacaagaaa aggttatcac caaacaatta ataatagcta	3780
cacagaagca acagcaatta ggcagactca ggtaggatat aatacaccat acatgaattt	3840
tgaatactcc aatggtggac catttctaac tcctatagta ccaacagcag acacacaata	3900
taatgatgat gaaccaaagt gtgctataag atttacaatg gattaccaac atggacactt	3960
aaccacatct tcacaagagc tagaaaata cacttcaat ccacaaagt aatgtggaag	4020
agctccaaag caacaattta atcaacaggc accactaaac ctagaaaata caaataatgg	4080
aacactttta ctttcagatc caataggagg gaaatctaac atgcatttca tgaatacact	4140
caatacatat ggaccattaa cagcactaaa caatactgca cctgtatttc caaatggtca	4200
aatatgggat aaagaacttg atacagatct aaaacctaga ctacatgcta cagctccatt	4260

CI0042PCTseqlisting.ST25

tgtttgtaaa aacaatccac caggacaact atttgtaaaa atagcaccaa acctaacaga 4320
 tgatttcaat gctgactctc ctcaacaacc tagaataata acttattcaa acttttgggtg 4380
 gaaaggagaca ctaacattca cagcaaaaat gagatccagt aatatgtgga accctattca 4440
 acaacacaca acaacagcag aaaaacattgg taactatatt cctacaaata ttggtggcat 4500
 aagaatgttt ccagaatatt cacaacttat accaagaaaa ttatactaga aataactctg 4560
 taaataaaaa ctgagtact ttggttaatca tgtactacta tcattgtata cttaataaaa 4620
 aataaattgt aaaatcaata aaactaagtt acttagtttc tgtataccta tactagaat 4680
 aactctgtaa ataaaaactc agttacttgg ttaatcatgt actactatca ttgtatactt 4740
 caataaaaaa aaattgtaaa atcaataaaa ctaagttact tagtttctgt ataccaatta 4800
 tccccaaaaa acaataaaa tttaaaaaga aacaagctct catgtgttta ctattaacta 4860
 aaccaaccac acttatatga ccttatgtct ttaggggtggg tgggtgggaa ttactatgta 4920
 ttctttgag ttagtgtgtc gcctttgggc gactaaccaa gcggtctctg cgcttggtta 4980
 gtcgcagggc gaccaactaa ctcaaggaa tacatagtaa ttcccaccca ccacacctaa 5040
 agacataagg tcatataagt gtggttggt tagtt 5075

<210> 4
 <211> 11703
 <212> DNA
 <213> Sindbis virus

<400> 4
 attgacggcg tagtacacac tattgaatca aacagccgac caattgcact accatcaca 60
 tggagaagcc agtagtaaac gtacacgtag acccccagag tccgtttgtc gtgcaactgc 120
 aaaaagcctt cccgcaattt gaggtagtag cacagcaggt cactccaaat gaccatgcta 180
 atgccagagc attttcgcat ctggccagta aactaatcga gctggagggt cctaccacag 240
 cgacgatctt ggacataggc agcgcacggc ctcgtagaat gttttccgag caccgatatc 300
 attgtgtctg ccccatgcgt agtccagaag acccggaccg catgatgaaa tacgccagta 360
 aactggcggg aaaaagcgtgc aagattacaa acaagaactt gcatgagaag attaaggatc 420
 tccggaccgt acttgatacg ccggatgctg aaacaccatc gctctgctt cacaacgatg 480
 ttacctgcaa catgcgtgcc gaattattccg tcatgcagga cgtgtatatc aacgtccccg 540
 gaactatcta tcatcaggct atgaaaggcg tgcggaccct gactgagatt ggcttcgaca 600
 ccaccagtt catgtttctg gctatggcag gttcgtacc tgcgtacaac accaactggg 660
 ccgacagaaa agtccttgaa gcgcgtaaca tcggactttg cagcacaaaa ctgagtgaag 720
 gtaggacagg aaaattgtcg ataattagga agaaggagtt gaagcccggg tcgctgggtt 780
 attttccgt aggatcgaca ctttatccag aacacagagc cagcttgagc agctggcatc 840
 ttcatcggt gtccacttg aatggaaagc agtcgtacac ttgccgtgt gatacagtg 900
 tgagttgcga aggctacgta gtgaagaaaa tcaccatcag tcccgggatt acgggagaaa 960

CI0042PCTseqlisting.ST25

ccgtgggata cgcggttaca cacaatagcg agggcttctt gctatgcaaa gttactgaca	1020
cagtaaaaagg agaacgggta tcgttccttg tgtgcacgta catcccgcc accatatgcg	1080
atcagatgac tgggtataat gccacggata tatcacctga cgatgcacaa aaacttctgg	1140
ttgggtctcaa ccagcggaatt gtcattaacg gtaggactaa caggaacacc aacaccatgc	1200
aaaattacct tctgccgac atagcacaag ggttcagcaa atgggctaag gagcgcaagg	1260
atgatcttga taacgagaaa atgctgggta ctagagaacg caagcttacg tatggctgct	1320
tgtgggcgtt tcgcactaag aaagtacatt cgttttatcg cccacctgga acgcagacct	1380
gcgtaaaagt cccagcctct ttttagcgctt ttcccatgtc gtcctgatgg acgacctctt	1440
tgcccatgtc gctgaggcag aaattgaaac tggcattgca accaagaag gaggaaaaac	1500
tgtctcaggt ctcgaggaa ttagtcatgg aggccaggc tgcttttgag gatgctcagg	1560
aggaaggcag agcgagaag ctccgagaag cacttcacc attagtggca gacaaaggca	1620
tcgaggcagc cgcagaagt gtctgcgaag tggaggggct ccaggcggac atcgagcag	1680
cattagttag aaccccgcg ggtcacgtaa ggataatacc tcaagcaaat gaccgtatga	1740
tcggacagta tatcgttgtc tcgccaaact ctgtgtgaa gaatgccaaa ctcgaccag	1800
cgcaccgct agcagatcag gttaagatca taacacctc cggaagatca ggaaagtacg	1860
gggtcgaacc atacgacgct aaagtactga tgcagcagg aggtgccgta ccatggccag	1920
aattcctagc actgagtgag agcgccacgt tagtgtacaa cgaaagagag tttgtgaacc	1980
gcaactata ccacattgcc atgcatggcc ccgccaagaa tacagaagag gagcagtaca	2040
aggttacaaa ggcagagctt gcagaaacag agtacgtgtt tgacgtggac aagaagcggt	2100
gcgttaagaa ggaagaagcc tcaggctctg tcctctcggg agaactgacc aacctccct	2160
atcatgagct agctctggag ggactgaaga cccgacctgc ggtcccgtac aaggtcgaaa	2220
caataggagt gataggcaca ccggggctcg gcaagtcagc tattatcaag tcaactgtca	2280
cggcacgaga tcttgttacc agcggaaaga aagaaaattg tcgcgaaatt gaggcgcagc	2340
tgctaagact gaggggtatg cagattacgt cgaagacagt agattcggtt atgctcaacg	2400
gatgccacaa agccgtgaaa gtgctgtacg ttgacgaagc gttcgcgtg cacgcaggag	2460
cactacttgc cttgattgct atcgtcaggc cccgcaagaa ggtagtacta tgcggagacc	2520
ccatgcaatg cggattcttc aacatgatgc aactaaaggt acatttcaat cacctgaaa	2580
aagacatatg caccaagaca ttctacaagt atatctcccg cggttgaca cagccagtta	2640
cagctattgt atcgacactg cattacgatg gaaagatgaa aaccacgaac ccgtgcaaga	2700
agaacattga aatcgatatt acaggggccca caaagccgaa gccaggggat atcatctga	2760
catgtttccg cgggtgggtt aagcaattgc aaatcgacta tccgggacat gaagtatga	2820
cagccgggac ctcacaagg ctaaccagaa aaggagtgtg tgcggtccgg caaaaagtca	2880
atgaaaaccc actgttcgcg atcacatcag agcatgtgaa cgtgttgctc acccgactg	2940
aggacaggct agtgttgaaaa accttcaggc gcgacccatg gattaagcag ccactaaca	3000

CI0042PCTseqlisting.ST25

tacctaagg	aaactttcag	gctactatag	aggactggga	agctgaacac	aaggggataa	3060
ttgctgcaat	aaacagcccc	actccccgtg	ccaatccgtt	cagctgcaag	accaacgttt	3120
gctgggcgaa	agcattggaa	ccgatactag	ccacggccgg	tatcgtactt	accgggtgcc	3180
agtggagcga	actgttccca	cagtttgcgg	atgacaaacc	acattcggcc	atttacgcct	3240
tagacgtaat	ttgcattaag	tttttcggca	tggacttgac	aagcggactg	ttttctaaac	3300
agagcatccc	actaacgtac	catcccgccg	attcagcgag	gccggtagct	cattggggaca	3360
acagcccagg	aaccgcgaag	tatgggtacg	atcacgccat	tgccgccgaa	ctctcccgtg	3420
gatttccggt	gttcagccta	gctgggaagg	gcacacaact	tgatttgcag	acggggagaa	3480
ccagagtatt	ctctgcacag	cataacctgg	tcccggtgaa	ccgcaatctt	cctcacgcct	3540
tagtccccga	gtacaaggag	aagcaacccg	gcccggtgaa	aaaattcttg	aaccagttca	3600
aacaccactc	agtaactgtg	gtatcagagg	aaaaaattga	agctccccgt	aagagaatcg	3660
aatggatcgc	cccgattggc	atagccgggt	cagataagaa	ctacaacctg	gctttcgggt	3720
ttccgcgcga	ggcacggtag	gacctgggtg	tcatacaaat	tggaaactaa	tacagaaaac	3780
accactttca	gcagtgcgaa	gaccatgcgg	cgaccttaaa	aaccctttcg	cgttcggccc	3840
tgaaattgct	taaccagagg	ggcaccctcg	tggtgaagtc	ctatggctac	gccgaccgca	3900
acagttagga	cgtagtcacc	gctcttgcca	gaaagtgtgt	caggggtgct	gcagcgagac	3960
cagattgtgt	ctcaagcaat	acagaaatgt	acctgatttt	ccgacaacta	gacaacagcc	4020
gtacacggca	attcaccccg	caccatctga	attgcgtgat	ttcgtccgtg	tatgagggta	4080
caagagatgg	agttggagcc	gcgcggtcat	accgcacca	aaggggagaat	attgctgact	4140
gtcaagagga	agcagttgtc	aacgcagcca	atccgctggg	tagaccaggc	gaaggagtct	4200
gccgtgccat	ctataaacgt	tgccgaccca	gttttaccca	ttcagccagc	gagacaggca	4260
ccgcaagaat	gactgtgtgc	ctaggaaaga	aagtgatcca	cgcggtcggc	cctgattttc	4320
ggaagcacc	agaagcagaa	gccttgaat	tgctacaaa	cgctaccat	gcagtggcag	4380
acttagtaaa	tgaacataac	atcaagtctg	tcgccatttc	actgctatct	acaggcattt	4440
acgcagccgg	aaaagaccgc	cttgaagtat	cacttaactg	cttgacaacc	gcgctagaca	4500
gaactgacgc	ggacgtatcc	atctattggc	tggaataaga	gtggaaggaa	agaatcgacg	4560
cggcactcca	acttaaggag	tctgtaacag	agctgaagga	tgaagatatg	gagatcgacg	4620
atgagttagt	atggatccat	ccagacagtt	gcttgaaggg	aagaaagggg	ttcagtacta	4680
caaaaggaaa	attgtattcg	tacttcgaag	gcaccaaatt	ccatcaagca	gcaaaagaca	4740
tgccggagat	aaaggtcctg	ttccctaatt	accaggaag	taatgaacaa	ctgtgtgcct	4800
acatattggg	tgagaccatg	gaagcaatcc	gcgaaaagtg	cccggtcgac	cataacccgt	4860
cgctcagccc	gccccaaacg	ttgccgtgcc	ttgcatgta	tgccatgcag	ccagaaaggg	4920
tccaagacat	tagaagcaat	aacgtcaaa	aagttacagt	atgctcctcc	accccccttc	4980
ctaagcacia	aattaagaat	gttcagaagg	ttcagtcgac	gaaagtagtc	ctgtttaatc	5040

CI0042PCTseqlisting.ST25

cgcacactcc	cgcatctcgtt	cccgcccgta	agtacataga	agtgccagaa	cagcctaccg	5100
ctcctcctgc	acaggccgag	gaggccccc	aagtgttagc	gacaccgtca	ccatctacag	5160
ctgataacac	ctcgcttgat	gtcacagaca	tctcactgga	tatggatgac	agtagcgaag	5220
gtcactcttt	ttcgagcttt	agcggatcgg	acaactctat	tactagtatg	gacagttggt	5280
cgtcaggacc	tagttcacta	gagatagtag	accgaaggca	ggtggtggtg	gctgacgttc	5340
atgccgtcca	agagcctgcc	cctattccac	cgccaaggct	aaagaagatg	gcccgcctgg	5400
cagcggcaag	aaaagagccc	atccaccggg	caagcaatag	ctctgagctc	ctccacctct	5460
cttttggtgg	ggtatccatg	tccctcggat	caattttcga	cggagagacg	gcccgccagg	5520
cagcggtaga	acccttgcca	acaggcccca	cggatgtgcc	tatgtctttc	ggtcgttttt	5580
ccgacggaga	gattgatgag	ctgagccgca	gagtaactga	gtccgaacct	gtcctgtttg	5640
gatcatttga	accggggcga	gtgaactcaa	ttatatcgtc	ccgatcagcc	gtatcttttc	5700
cactacgcaa	gcagagacgt	agacgcagga	gcaggaggac	tgaatactga	ctaaccgggg	5760
taggtgggta	catattttcg	acggacacag	gccctgggca	cttgcaaaag	aagtcctgtc	5820
tcgagaacca	gcttacagaa	ccgaccttgg	agcgcaatgt	cctggaaaga	attcatgccc	5880
cggctctcga	cagctcgaaa	gaggaaacaac	tcaaaactcg	gtaccagatg	atgccaccg	5940
aaaccaacaa	aagtagggtac	cagttctcgt	aagtagaaaa	tcagaaagcc	ataaccactg	6000
agcgactact	gtcaggacta	cgactgtata	actctgccac	agatcagcca	gaatgctata	6060
agatcaccta	tccgaaacca	ttgtactcca	gtagcgtacc	ggcgaactac	tccgatccac	6120
agttcgtgtg	agctgtctgt	aacaactatc	tgcattgaga	ctatccgaca	gtagcatctt	6180
atcagattac	tgacgagtac	gatgcttact	tggatatggt	agacgggaca	gtcgcctgcc	6240
tggaactgac	aaccttctgc	cccgctaagc	ttagaagtta	ccgaaaaaaa	catgagtata	6300
gagccccgaa	tatccgcagt	gcggttccat	cagcgatgca	gaacacgcta	caaaatgtgc	6360
tcattgccgc	aactaaaaga	aattgcaacg	tcacgcagat	gcgtgaactg	ccaacactgg	6420
attcagcgac	attcaatgtc	gaatgctttc	gaaaaatagc	atgtaatgac	gagtattggg	6480
aggagtctgc	tcggaagcca	attaggatta	ccactgagtt	tgtcaccgca	tatgtagcta	6540
gactgaaagg	ccctaaggcc	gccgcactat	ttgcaagac	gtataatttg	gtcccattgc	6600
aagaagtgcc	tatggataga	ttcgtcatgg	acatgaaaa	agacgtgaaa	gttacaccag	6660
gcacgaaaca	cacagaagaa	agaccgaaa	tacaagtgat	acaagccgca	gaacctctgg	6720
cgactgttta	cttatcgggg	attcaccggg	aattagtgcg	taggcttacg	gccgtcttgc	6780
ttccaaacct	tcacacgctt	tttgacatgt	cggcggagga	ttttgatgca	atcatagcag	6840
aacacttcaa	gcaaggcgac	ccggtactgg	agacgggat	cgcatcattc	gacaaaagcc	6900
aagacgcagc	tatggcggtta	accggtctga	tgatcttggg	ggacctgggt	gtggatcaac	6960
cactactcga	cttgatcgag	tgccgctttg	gagaaatata	atccacccat	ctacctacgg	7020
gtactcgttt	taaatccggg	gcgatgatga	aatccggaat	gttctctaca	ctttttgtca	7080

CI0042PCTseqlisting.ST25

acacagtgtt	gaatgtcgtt	atgccagca	gagtactaga	agagcggctt	aaaacgtcca	7140
gatgtgcagc	gttcattggc	gacgacaaca	tcatacatgg	agtagtatct	gacaaagaaa	7200
tggtcgagag	gtgcgccacc	tggtctcaaca	tgagggttaa	gatcatcgac	gcagtcacg	7260
gtgagagacc	acctacttct	tgccgctggt	ttatcttgca	agattcgggt	acctccacag	7320
cgtgcccggt	ggcggtatcc	ctgaaaaggc	tggttaagtt	gggtaaaccg	ctcccagccg	7380
acgacgagca	agacgaagac	agaagacgcg	ctctgctaga	tgaaacaaag	gcgtgggtta	7440
gagtaggtat	aacaggcact	ttagcagtg	ccgtgacgac	ccggtatgag	gtagacaata	7500
ttacacctgt	cctactggca	ttgagaactt	ttgccagag	caaaagagca	ttcaaagcca	7560
tcagagggga	aataaagcat	ctctacgggt	gtcctaata	gtcagcatag	tacatttcat	7620
ctgactaata	ctacaacacc	accacatga	atagaggatt	ctttaacatg	ctcgccgcc	7680
gccccctccc	ggccccct	gccatgtgga	ggccgcggag	aaggaggcag	gcggccccga	7740
tgcttgccg	caacgggctg	gcttctcaaa	tccagcaact	gaccacagcc	gtcagtgccc	7800
tagtcattgg	acaggcaact	agacctcaac	ccccacgtcc	acgcccgcga	ccgcgcgaga	7860
agaagcaggc	gcccaagcaa	ccaccgaagc	cgaagaaacc	aaaaacgcag	gagaagaaga	7920
agaagcaacc	tgcaaaaccc	aaacccggaa	agagacagcg	catggcactt	aagttggagg	7980
ccgacagatt	gttcgacgtc	aagaacgagg	acggagatgt	catcgggcac	gcactggcca	8040
tggaaggaaa	ggtaatgaaa	cctctgcacg	tgaaaggaa	catcgaccac	cctgtgctat	8100
caaagctcaa	atttaccag	tcgtcagcat	acgacatgga	gttcgcacag	ttgccagtca	8160
acatgagaag	tgaggcattc	acctacacca	gtgaacaccc	cgaaggattc	tataactggc	8220
accacggagc	gggtcagtat	agtgagggta	gatttaccat	ccctcgcgga	gtaggaggca	8280
gaggagacag	cggtctgtcg	atcatggata	actccggctg	ggttgtcgcg	atagtcctcg	8340
gtggcgctga	tgaaggaaac	cgaactgccc	tttcggctgt	cacctggaat	agtaaaagga	8400
agacaattaa	gacgaccccc	gaagggacag	aagagtgtgc	cgacgaccca	ctggctacgg	8460
caatgtgttt	gctcggaaat	gtgagcttcc	catgcgaccg	cccgccaca	tgctataccc	8520
gcgaaccttc	cagagccctc	gacatccttg	aagagaacgt	gaacctagag	gcctacgata	8580
ccctgctcaa	tgccatattg	cgggtcggat	cgtctggcag	aagcaaaaga	agcgtcattg	8640
acgactttac	cctgaccagc	ccctacttgg	gcacatgctc	gtactgccac	catactgtac	8700
cgtgtctcag	ccctgttaag	atcgagcagg	tctgggacga	agcggacgat	aacaccatac	8760
gcatacagac	ttccgccag	tttggtacg	accaaacggg	agcagcaagc	gcaaacagat	8820
accgtacatc	gtcgcttaag	caggatcaca	ccgttaaaga	aggcaccatg	gatgacatca	8880
agattagcac	ctcaggaccg	tgtagaaggc	ttagctacaa	aggatacttt	ctcctcgcaa	8940
aatgcccttc	aggggacagc	gtaacgggta	gcatagtgag	gtcaactca	gcaacgtcat	9000
gtacatggc	ccgcaagata	aaacaaaat	tcgtgggacg	ggaaaaatat	gatctacctc	9060
ccgttcacgg	taaaaaaatt	ccttgacacg	tgtacgaccg	tctgaaagaa	acaactgcag	9120

CI0042PCTseqlisting.ST25

gctacatcac	tatgcacagg	ccgagaccgc	acgcttatac	atcctacc2g	gaagaatcat	9180
cagggaagt	ttacgcaag	ccgccatctg	ggaagaacat	tacgtatgag	tgcaagtgcg	9240
gcgactaca	gaccggaacc	gtttcgaccc	gcaccgaaat	cactggttgc	accgccatca	9300
agcagtgcgt	cgctataag	agcgacaaa	cgaagtgggt	cttcaactca	ccggacttga	9360
tcagacatga	cgaccacacg	gcccaaggga	aattgcattt	gcctttcaag	ttgatcccg	9420
gtacctgcat	ggctcctgtt	gccacgcgc	cgaatgtaat	acatggcttt	aaacacatca	9480
gcctccaatt	agatacagac	cacttgacat	tgctcaccac	caggagacta	ggggcaaac	9540
cggaaaccaac	cactgaatgg	atcgtcggaa	agacggtcag	aaacttcacc	gtcgaccgag	9600
atggcctgga	atacatatgg	ggaatcatg	agccagttag	ggtctatgcc	caagagttag	9660
caccaggaga	ccctcacgga	tggccacacg	aaatagtaca	gcattactac	catcgccatc	9720
ctgtgtacac	catcttagcc	gtcgcacatg	ctaccgtggc	gatgatgatt	ggcgtaactg	9780
ttgcagtggt	atgtgcctgt	aaagcgcgcc	gtgagtgcct	gacgccatac	gccctggccc	9840
aaacgcggt	aatcccaact	tcgctggcac	tcttgtgctg	ggttaggtcg	gccaatgctg	9900
aaacgttcac	cgagaccatg	agttacttgt	ggtcgaacag	tcagccgttc	ttctgggtcc	9960
agtgtgcat	accttggcc	gctttcatcg	ttctaagtcg	ctgctgctcc	tgctgcctgc	10020
cttttttagt	ggttgcggc	gcctacctgg	cgaaggtaga	cgctacgaa	catcgacca	10080
ctgttccaaa	tgtgccacag	ataccgtata	aggcacttgt	tgaaagggca	gggtatgccc	10140
cgctcaattt	ggagatcact	gtcatgtcct	cggagggttt	gccttcacc	aaccaagagt	10200
acattacctg	caaattcacc	actgtggtcc	cctcccaaaa	aatcaaatgc	tgcggtcctc	10260
tggaatgtca	gccggcgct	catgcagact	atacctgcaa	ggtcttcgga	ggggtctacc	10320
cctttatgtg	gggaggagcg	caatgtttt	gcgacagtga	gaacagccag	atgagtgagg	10380
cgtagctga	attgtcagca	gattgcgcgt	ctgaccacgc	gcaggcgatt	aaggtgcaca	10440
ctgccgcgat	gaaagtagga	ctgcgtattg	tgtacgggaa	cactaccagt	ttcctagatg	10500
tgtacgtgaa	cggagtccac	ccaggaaact	ctaaagactt	gaaagtcata	gctggacca	10560
tttcagcatc	gtttacgcca	ttcgatcata	aggtcggtat	ccatcgcgcc	ctgggtgtaca	10620
actatgactt	cccgaatat	ggagcgatga	aaccaggagc	gtttggagac	attcaagcta	10680
cctccttgac	tagcaaggat	ctcatcgcca	gcacagacat	taggctactc	aagccttcg	10740
ccaagaactg	gcattgtccc	tacacgcagg	cctcatcagg	atttgagatg	tggaaaaaca	10800
actcaggccg	cccactgcag	gaaaccgcac	cttcgggtg	taagattgca	gtaaatccgc	10860
tccgagcggt	ggactgttca	tacgggaaca	ttccatttcc	tattgacatc	ccgaacgctg	10920
ctttatcatg	gacatcagat	gcaccactgg	tctcaacagt	caaatgtgaa	gtcagtgtgt	10980
gcacttattc	agcagacttc	ggcgggattg	ccaccctgca	gtatgtatcc	gaccgcgaag	11040
gtcaatgcc	cgtaatttcg	cattcgagca	cagcaactct	ccaagagtgc	acagtacatg	11100
tcctggagaa	aggagcggtg	acagtacact	ttagcaccgc	gagtcacacg	gcgaacttta	11160

CI0042PCTseqlisting.ST25

tcgtagctgct	gctgtgggaag	aagacaacat	gcaatgcaga	atgtaaacca	ccagctgacc	11220
atatcgtgag	caccccgac	aaaaatgacc	aagaatttca	agcgcctc	tcaaaacat	11280
catggaggtg	gctgtttgcc	cttttcggcg	gcgctcgtc	gctattaatt	ataggactta	11340
tgatttttgc	ttgcagcatg	atgctgacta	gcacacgaag	atgaccgcta	cgcccaatg	11400
atccgaccag	caaaactcga	tgtacttccg	aggaactgat	gtgcataatg	catcaggctg	11460
gtacattaga	tccccgctta	ccgcgggcaa	tatagcaaca	ctaaaaactc	gatgtacttc	11520
cgaggaagcg	cagtgcataa	tgctgcgcag	tggtgccaca	taaccactat	attaaccatt	11580
tatctagcgg	acgccaaaaa	ctcaatgtat	ttctgaggaa	cgctggtgca	taatgccacg	11640
cagcgtctgc	ataactttta	ttatttcttt	tattaatcaa	caaaattttg	tttttaacat	11700
ttc						11703

<210> 5
 <211> 10945
 <212> DNA
 <213> West Nile virus

<400> 5
 gaggattaac aacaattaac acagtgcgag ctgtttctta gcacgaagat ctcgatgtct 60
 aagaaaccag gaggggcccg caagagccgg gctgtcaata tgctaaaaag cggaatgcc 120
 cgcggttgt ccttgattgg actgaagagg gctatgttga gcctgatcga cggcaagggg 180
 ccaatcagat ttgtgttggc tctcttggcg ttcttcagg tcaacagcat tgctccgacc 240
 cgagcagtcg tggatcgatg gagaggtgtg aacaacaaa cagcgatgaa acacctctcg 300
 agttttaaga aggaactagg gaccttgacc agtgctatca atcggcggag ctcaaaacaa 360
 aagaaaagag gaggaagac cggaattgca gtcatgattg gcctgatcgc cagcgtagga 420
 gcagttaccc tctctaactt ccaagggaag gtgatgatga cggtaaatgc tactgacgtc 480
 acagatgtca tcacgattcc aacagctgct ggaagaac tatgcattgt cagagcaatg 540
 gatgtgggat acatgtgcga tgatactatc acctatgaat gccagtgct gtctggctgg 600
 aatgatccag aagacatcga ctgttgggtgc acaagtcag cagtctacgt caggtatgga 660
 agatgcacca agacacgcca ctcaagacgc agtcggaggt cactgacagt gcagacacac 720
 ggagaaagca ctctagcgaa caagaagggg gcttgtagtg acagcacaa ggccacaagg 780
 tatttggtaa aaacagaatc atggatcttg aggaacctg gatatgccct ggtggcagcc 840
 gtcatgtgtt ggatgcttgg gagcaacacc atgcagagag ttgtgtttgt cgtgctattg 900
 cttttggtgg ccccgactta cagcttcaac tgccttgaa tgagcaacag agacttcttg 960
 gaaggagtgt ctggagcaac atgggtggat ttggttctcg aagcgatag ctgcgtgact 1020
 atcatgtcta aggacaagcc taccatcgat gtgaagatga tgaatatgga ggcggccaac 1080
 ctggcagagg tccgcagtta ttgctatttg gctaccgtca gcgatctctc caccaagact 1140
 gcgtgcccg ccatggggga agccacaat gacaaacgtg ctgaccacag tttgtgtg 1200
 agacaaggag tgggtgacag gggctggggc aacggctgcg gactattttg caaaggaagc 1260

CI0042PCTseqlisting.ST25

attgacacat gcgccaatt	tgcctgtctt accaaggcaa	taggaagaac	catcttgaaa	1320
gagaatatca agtacgaagt	ggccattttt gtccatggac	caactactgt	ggagtcgcac	1380
ggaactact ccacacaggt	tggagccact caggcaggga	gattcagcat	catctctcg	1440
gcgccttcat acacactaaa	gcttggagaa tatggagagg	tgacagtgga	ctgtgaacca	1500
cggtcaggga ttgacaccaa	tgcatactac gtgatgactg	ttggaacaaa	gacgttcttg	1560
gtccatctgt agtggttcat	ggacctcaac ctcccttgga	gcagtgtctg	aagtactgtg	1620
tggaggaaca gagagacgtt	aatggagttt gaggaaccac	acgccacgaa	gcagtctgtg	1680
atagcattgg gctcacaaga	gggagctctg catcaagctt	tggctggagc	catctctgtg	1740
gaattttcaa gcaacactgt	caagttgacg tcgggtcatt	tgaagtgtag	agtgaagatg	1800
gaaaaattgc agttgaagg	aacaacctat ggcgtctgtt	caaaggctt	caagtttctt	1860
gggactcccc cagacacagg	tcacggcact gtggtgttgg	aattgcagta	catctggcacg	1920
gatggacctt gcaaaagtcc	tatctcgtca gtggcttcat	tgaacgacct	aacgcagtg	1980
ggcagattgg tcactgtcaa	cccttttgtt tcagtggcca	cggccaacgc	taagttctctg	2040
attgaattgg aaccaccctt	tggagactca tacatagtgg	tgggcagagg	agaacaacag	2100
atcaatcacc attggcacia	gtctggaagc agcattggca	aagcctttac	aaccaccctc	2160
aaaggagcgc agagactagc	cgtcttagga gacacagctt	gggacttttg	atcagtttga	2220
ggggtgttca cctcagttgg	gaaggctgtc catcaagtgt	tcggaggagc	attccgtctca	2280
ctgttcggag gcatgtcctg	gataacgcaa ggattgtctg	gggctctctt	gttgtggatg	2340
ggcatcaatg ctctgtatag	gtccatagct ctacgtttc	tcgcagttag	aggagtcttg	2400
ctcttctctt ccgtgaacgt	gcacgctgac actgggtgtg	ccataaacat	caccgcgcaa	2460
gagctgagat gtggaagtgg	agtgttcata cacaatgatg	tggaggcttg	gatggaccgg	2520
tacaagtatt accctgaaac	gccacaaggc ctagccaaga	tcattcagaa	agctcataag	2580
gaaggagtgt gcggtctacg	atcagtttcc agactggagc	atcaaatgtg	ggaagcagtg	2640
aaggacgagc tgaacactcc	tttgaaggag aatgggtgtg	accttagtgt	cggtgttgag	2700
aaacaggagg gaatgtacaa	gtcagcacct aaacgcctca	ccgccaccac	ggaaaaattg	2760
gaaatttgct ggaaggcctg	gggaagagat attttatttg	caccagaact	cgccaacaac	2820
acctttgtgg ttgatgtgcc	ggagaccaag gaatgtccga	ctcagaatcg	cgcttggaa	2880
agcttagaag tggaggattt	tggatttgggt ctaccacgca	ctcggatgtt	cctgaaggtc	2940
agagaaggca acacaactga	atgtgactcg aagatcattg	gaacggctgt	caagaacaac	3000
ttggcgatcc acagtgaacct	gtcctatttg attgaaagca	ggctcaatga	tacgtggaag	3060
cttgaagggt cagttctggg	tgaagtcaaa tcattgtactg	ggcctgagac	gcataacctg	3120
tggggcgatg gaatccttga	gagtgacttg ataataccag	tcacactggc	gggaccacga	3180
agcaatcaca atcggagacc	tgggtacaag acacaaaacc	agggcccatg	ggacgaaggc	3240
cgggtagaga ttgacttcga	ttactgcecca ggaactacgg	tcacctcgag	tgagagctgc	3300

CI0042PCTseqlisting.ST25

ggacaccgtg gacctgccac tcgcaccacc acagagagcg gaaagttgat aacagattgg	3360
tgctgcagga gctgcacctt accaccactg cgctaccaa ctgcagcgg ctgttggtat	3420
ggtatggaga tcagaccaca gagacatgat gaaaagacc tcgtgcagtc acaagtgaat	3480
gcttataatg ctgatatgat tgacctttt cagttgggccc ttctggctgt gttcttgccc	3540
accaggagg tccttcgcaa gaggtggaaca gccaaagatca gcatgccagc tatactgatt	3600
gctctgctag tcctgtgtgt tgggggcatt acttacactg atgtgttacg ctatgtcatc	3660
ttggtggggg cagctttcgc agaattctaatt tcgggaggag acgtggtaca cttggcgctc	3720
atggcgacct tcaagataca accagtgttt atggtggcat cgtttctcaa agcgagatgg	3780
accaaacagg agaactttt gttgatgttg gcggctgttt tctttcaaat ggcttatcac	3840
gatgcccgcc aaattctgct ctgggagatc cctgatgtgt tgaattcact ggcggtagct	3900
tggtatgata tgagagccat aacattcaca acgacatcaa acgtgggtgt tccgtgcta	3960
gccctgctaa caccgggct gagatgcttg aatctggatg tgtacaggat actgctgttg	4020
atggtcggaa taggcagctt gatcaggag aagaggagtg cagctgcaa aagaaagga	4080
gcaagtctgc tatgcttgcc tctagcctca acaggacttt tcaaccccat gatcttgct	4140
gctggactga ttgcatgtga tcccaaccgt aaacgcggat ggcccgaac tgaagtgtg	4200
acagctgtcg gcctaattgt tgccatcgtc ggagggctgg cagagcttga cattgactcc	4260
atggccattc caatgactat cgcggggctc atgtttgctg ctttcgtgat ttctgggaaa	4320
tcaacagata tgtggattga gagaacggcg gacatttcct gggaaagtga tgcagaaatt	4380
acaggctcga gcgaaagagt tgatgtgcgg cttgatgatg atggaaactt ccagctcatg	4440
aatgatccag gacgaccttg gaagatatgg atgtcagaa tggctgtctt cgcgatttag	4500
gcgtacacc cctgggcaat cttgccctca gtagttggat ttggataac tctccaatac	4560
acaaagagag gaggcgtgtt gtgggacact cctcaccaa aggagtacaa aaagggggac	4620
accaccaccg gcgtttacag gatcatgact cgtgggctgc tcggcagtta tcaagcagga	4680
gcgggcgtga tgggtgaagg tgtttccac accctttggc atacaacaaa aggagccgct	4740
ttgatgagcg gagaggccg cctggaccga tactggggca gtgtcaagga ggaatcgact	4800
tgttacggag gaccctgaa attgcagcac aagtggaacg ggcaggatga ggtgcagatg	4860
attgtggtgg aacctggcaa gaacgttaag aacgtccaga cgaaccagg ggtgttcaa	4920
acacctgaag gagaatacgg ggccgtgact ttggacttcc cactggaac atcaggtc	4980
ccaatagtgg acaaaaacgg tgatgtgatt gggctttatg gcaatggagt cataatgcc	5040
aacggctcat acataagcgc gatagtgcag ggtgaaagga tggtgagcc aatccagcc	5100
ggattcgaac ctgagatgct gaggaaaaa cagatcactg tactggatct ccatccggc	5160
gccggtaaaa caaggaggat tctgccacag atcatcaag aggccataa cagaagatg	5220
agaacagccg tgctagcacc aaccagggtt gtggctcgtg agatggctga agcactgaga	5280
ggactgccca tccggtacca gacatccgca gtgccagag aacataatgg aaatgagatt	5340

CI0042PCTseqlisting.ST25

gttgatgtca	tgtgtcatgc	tacctcacc	cacaggctga	tgtctcctca	cagggtgccg	5400
aactacaacc	tggtcgtgat	ggatgaggct	catttcaccg	accagctag	cattgcagca	5460
agagggtaca	tttccacaaa	ggtcgagcta	ggggaggcgg	cggaatatt	catgacagcc	5520
acccaccagg	gcatttcaga	tccattccca	gagtcgaatt	caccaatttc	cgacttacag	5580
actgagatcc	cggatcgagc	ttggaactct	ggatcgaatg	ggatcacaga	atacaccggg	5640
aagacggttt	ggtttgtgcc	tagtgtcaag	atggggaatg	agattgccct	ttgcctacaa	5700
cgctctggaa	agaaagtagt	ccaattgaac	agaaagtcgt	acgagacgga	gtacccaaaa	5760
tgtaagaacg	atgattggga	ctttgttatt	acaacagaca	tatctgaaat	gggggctaac	5820
ttcaaggcga	gcaggggtgat	tgacagccgg	aagagtgtag	aaccaacctat	catacagaaa	5880
ggagaaggga	gagtgatcct	gggagaacca	tctgcagtga	cagcagctag	tgccgccccag	5940
agacgtggac	gtatcggtag	aaatccgtcg	caagttgggtg	atgagtactg	ttatgggggg	6000
cacacgaatg	aagacgaact	gaacttcgcc	cattggactg	aggcacgaat	catgtcggac	6060
aacatcaaca	tgccaaacgg	actgatcgct	caattctacc	aaccagagcg	tgagaaggta	6120
tataccatgg	atgggggaata	ccggtctcaga	ggagaagaga	gaaaaaactt	tctggaaactg	6180
ttgaggactg	cagatctgcc	agtttggtcg	gcttacaagg	ttgcagcgcc	tgagtggtca	6240
taccacgacc	ggaggtgggtg	ctttgatgggt	cctaggacaa	acacaatttt	agaagacaac	6300
aacgaagtgg	aagtcacac	gaagcttggt	gaaaggaaga	ttctgaggcc	gcgctggatt	6360
gacgccaggg	tgtaactcga	tcaccaggca	ctaaggcgct	tcaaggactt	cgctcggga	6420
aaacgtttct	agatagggtc	cattgaggtt	ctgggaaaga	tgcttgagca	cttcatgggg	6480
aaagacatgg	aagcacttga	caccatgtac	gttggtggca	ctgcagagaa	aggagggaaga	6540
gctcacagaa	tggccctgga	ggaactgcga	gatgctcttc	agacaattgc	cttgattgcc	6600
ttattgagtg	tgatgacctat	gggagtattc	ttctctccta	tgacgaggaa	gggcattgga	6660
aagataggtt	tgggaggcgc	tgtcttggga	gtagcgacct	ttttctgttg	gatggctgaa	6720
gttcaggaa	cgaagatcgc	cggaatgttg	ctgctctccc	ttctcttgat	gattgtgcta	6780
attcttgagc	cagagaagca	acgttcgcag	acagacaacc	agctagccgt	gttcttgatt	6840
tgtgtcatga	cccttgttag	cgcagtggca	gccaacgaga	tggttggtct	agataagacc	6900
aagagtgaca	taagcagttt	gtttgggcaa	agaattgagg	tcaaggagaa	tttcagcatg	6960
ggagagtttc	ttctggactt	gaggccggca	acagcctggt	cactgtacgc	tgtagacaaca	7020
gcggtcctca	ctccactgct	aaagcatttg	atcacgtcag	attacatcaa	cacctcattg	7080
acctcaataa	acgttcaggc	aagtgcacta	ttcacactcg	cgcgaggctt	ccccttcgtc	7140
gatgttgtag	tgctcggtct	cctgctagca	gccggatgct	ggggacaagt	caccctcacc	7200
gttacggtaa	cagcggcaac	actccttttt	tgccactatg	cctacatggt	tcccgggttg	7260
caagctgagg	caatgcgctc	agccacagcg	cggacagcgg	ccggaatcat	gaagaacgct	7320
gtagtggatg	gcatctgtgc	cacggacgct	ccagaattag	agcgaccacc	acccatcatg	7380

CI0042PCTseqlisting.ST25

cagaagaaag	ttggacagat	catgctgatc	ttggtgtctc	tagctgcagt	agtagtgaac	7440
ccgtctgtga	agacagtacg	agaagccgga	attttgatca	cgccgcgagc	ggtgacgctt	7500
tgggagaatg	gagcaagctc	tgtttgaac	gcaacaactg	ccatcggaact	ctgccacatc	7560
atgcgtgggg	gttggtgtgc	atgtctatcc	ataacatgga	cactcataaa	gaacatggaa	7620
aaaccaggcg	taaaagagg	tggggcaaaa	ggacgcacct	tgggagagggt	ttggaaagaa	7680
agactcaacc	agatgacaaa	agaagagttc	actaggtacc	gcaaagaggc	catcatcgaa	7740
gtcgtatcgt	cagcggcaaa	acacgccagg	aaagaaggca	atgtcactgg	agggcattcca	7800
gtctctaggg	gcacagcaaa	actgagatgg	ctggctgaac	ggaggtttct	cgaaccggtc	7860
ggaaaagtga	ttgaccttgg	atgtggaaga	ggcggttggt	gttactatat	ggcaacccaa	7920
aaaagagtcc	aagaagtcag	aggggtacaca	aagggcggtc	ccggacatga	agagccccaa	7980
ctagtgcaaa	gttatggatg	gaacattgtc	accatgaaga	gtggagtggg	tgtgttctac	8040
agaccttctg	atgtgttgta	caccttctct	tgtgacatcg	gagagtcctc	gtcaagtgtc	8100
gaggttgaag	agcataggac	gattcgggtc	cttgaatagg	ttgaggactg	gctgcaccga	8160
gggccaaggg	aattttgcgt	gaagggtgctc	tgcccttaca	tgccgaaagt	catagagaag	8220
atggagctgc	tccaacgccg	gtatgggggg	ggactgggtca	gaaacccact	ctcacggaat	8280
tccacgcacg	agatgtattg	ggtgagtcga	gcttcaggca	atgtggtaca	ttcagtgaat	8340
atgaccagcc	aggtgctcct	aggaagaatg	gaaaaaagga	cctggaaggg	acccaatac	8400
gaggaagatg	taaaccttgg	aagtggaacc	agggcggtgg	gaaacccctc	gctcaactca	8460
gacaccagta	aaatcaagaa	caggattgaa	cgactcaggc	gtgagtacag	ttcgacgtgg	8520
caccacgatg	agaaccaccc	atatagaacc	tggaactacc	acggcagtta	tgatgtgaag	8580
cccacaggct	ccgccagttc	gctgggtcaat	ggagtgggtca	ggctcctctc	aaaacatgg	8640
gacaccatca	cgaatgttat	caccatggcc	atgactgaca	ctactccctt	cgggcagcag	8700
cgagtgttca	aagagaagggt	ggacacgaaa	gctcctgaac	cgccagaagg	agtgaagtac	8760
gtgctcaacg	agaccaccaa	ctggttgtgg	gcgtttttgg	ccagagaaaa	acgtcccaga	8820
atgtgctctc	gagaggaatt	cataagaaag	gtcaacagca	atgcagcttt	gggtgccatg	8880
tttgaagagc	agaatcaatg	gaggagcgcc	agagaagcag	ttgaagatcc	aaaattttgg	8940
gagatggtgg	atgaggagcg	cgaggcacat	ctgcgggggg	aatgtcacac	ttgcattttac	9000
aacatgatgg	gaaagagaga	gaaaaaaccc	ggagagtctg	gaaaggccaa	gggaagcaga	9060
gccatttggt	tcattgtggt	cgaggtctgc	tttctggagt	tcgaggtctc	gggttttctc	9120
aatgaagacc	actggcttgg	aagaagaac	tcaggaggag	gtgtcgaggg	cttgggccctc	9180
caaaaactgg	gttacatctc	gcgtgaagtt	ggcaccggcg	ctgggggcaa	gatctatgct	9240
gatgacacag	ctggctggga	caccgcctac	acgagagctg	acttgaaaaa	tgaagctaag	9300
gtgcttgagc	tgcttgatgg	ggaacatcgg	cgcttgcca	gggccatcat	tgagctcacc	9360
tatcgtcaca	aagttgtgaa	agtgatgcgc	ccggctgctg	atggaagaac	cgctatggat	9420

CI0042PCTseqlisting.ST25

```

gttatctcca gagaagatca gagggggagt ggacaagttg tcacctacgc cctaaacct 9480
ttcaccaacc tggccgtcca gctggtgagg atgatggaag gggaaggagt gattggccca 9540
gatgatgtgg agaaactcac aaaagggaag ggacccaaag tcaggacctg gctgtttgag 9600
aatgggggaag aaagactcag cgcgatggct gtcagtggag atgactgtgt ggtaaagccc 9660
ctggacgacgc gctttgccac ctgcctccac ttcctcaatg ctatgtcaaa ggctcgcaaa 9720
gacatccaag actggaagacc gtcaactgga tggatgattt ggcagcaggt tccattttgc 9780
tcaaaccatt tcactgaatt gatcatgaaa gatggaagaa cactgggtgtg tccatgccga 9840
ggacaggatg aattggtagg cagagctcgc atatctccag gggccggatg gaacgtccgc 9900
gacactgctt gtctggctaa gtcttatgcc cagatgtggc tgcttctgta cttccacaga 9960
agagacctgc ggctcatggc caacgccatt tgctccgctg tccctgtgaa ttgggtccct 10020
accggaagaa ccacgttgct catccatgca ggaggagagt ggaagacaac agaggacatg 10080
ttggaggctt ggaaccgtgt ttggatagag gagaatgaat ggaaggaaga caaaaccccc 10140
tgaggagaat ggagtgacgt cccatattca ggaaaacgag aggacatctg gtgtggcagc 10200
ctgattggca caagagcccg agccacgtgg gcagaaaaca tccaggtggc tatcaaccaa 10260
gtcagagcaa tcactcgaga tgagaagtat gtggattaca tgagttcact aaagagatat 10320
gaagacacaa ctttggttga ggacacagta ctgtagatat ttaatcaatt gtaaatagac 10380
aatataagta tgcataaag tgtagtttta tagtagtatt tagtggtgtt agtgaataa 10440
gttaagaaaa ttttgaggag aaagtcagcg cgggaagttc ccgccaccgg aagtgtagta 10500
gacggtgctg cctgcgactc aaccccagga ggaactgggtg aacaaagccg cgaagtgatc 10560
catgtaagcc ctcagaaccg tctcggaagg aggacccac atgttgtaac ttcaagccc 10620
aatgtcagac cagctacg cggtgctactc tgcggagagt gcagttctgc atagtcccc 10680
aggaggatg ggttaacaaa ggcaaaccaa cccccacgc ggccctagcc ccggtaatgg 10740
tgtraaccag ggcgaagga ctagaggtta gaggagacc cgcggtttaa agtcacggc 10800
ccagcctggc tgaagctgta ggtcagggga aggactagag gttagtggag accccgtgcc 10860
acaaaacacc acaacaacac agcatattga cacctgggat agactaggag atcttctgct 10920
ctgcacaacc agccacacgg cacag 10945

```

```

<210> 6
<211> 1542
<212> DNA
<213> Escherichia coli 16S Ribosomal RNA

```

```

<220>
<221> misc_feature
<222> (896)..(896)
<223> n is a, c, g, or t

```

```

<400> 6
aaattgaaga gtttgatcat ggctcagatt gaacgctggc ggccaggccta acacatgcaa 60

```

CI0042PCTseqlisting.ST25

gtcgaacggt aacaggaakc agcttgctga tttgctgacg agtggcggac gggtagtagta	120
tgctctggaa actgcttgat ggagggggat aactactgga aacggtagct aataccgcat	180
aacgtcgcaa gaccaaagag ggggaccttc gggcctcttg ccatcgtagt tgccagatg	240
ggattagcta gtatgtgggg taaaggctca cctaggcgac gatccctagc tggctctgaga	300
ggatgaccag ccacactgga actgagacac ggtccagact cctacgggag gcagcagtg	360
ggaatatgtc acaatgggag caagcctgat gcagccatgc cgcgtgtatg aagaaggcct	420
tcgggttgta aagtactttc agcggggagg aaggagtaga agttaatacc tttgttcatt	480
gacgttaccg gcagaagaag caccggctaa ctccgtgcca gcagccgcg taatacggag	540
ggtgcaagcg ttaatcggaa ttactgggag taaagcgac gcaggcggtt tgtaaagta	600
gatgtgaaat ccccgggctc aacctgggaa ctgcatctga tactggcaag cttgagcttc	660
gtagaggggg gtgaatttcc aggtgtagcg gtgaaatgag tagagactct gaggaatacc	720
ggtggcgaa ggcggccctc ggacgaagac tgacgctcag gtgcgaaagc gtggggagca	780
aacaggatta gatccctgg tagtcacgcg cgtaaacgat gtcgacttgg aggtgtgccc	840
cttgaggcgt ggcttcggga gctaacgcgt taagtckacc gcctggggag tacgngcga	900
aggttaaaac tcaaatgaat tgacgggggc ccgcacaagc ggtggagcat gtggtttaat	960
tcgatgcaac gcgaagaacc ttacctggtc ttgacatcca cagaacttcc cagagatgga	1020
ttggtgcctt cgggaactgt gagacaggtg ctgcatggct gtcgtcagct cgtgttgtag	1080
aatgttgggt taagtccgcg aacgagcgca acccttatcc tttgttgcca gcggtccggc	1140
cgggaactca aaggagactg ccagtataaa actggaggaa ggtggggatg acgtcaagtc	1200
atcatggccc ttacgaccag ggctacacac gtgctacaat ggcgcataca aagagaagcg	1260
ayctcgcgag agcaagcgga cctcataaag tgcgtcgtag tccggattgg agtctgcaac	1320
tcgactccat gaagtctgaa tcgctagtaa tcgtggatca gaatgccacc gtgaatacgt	1380
tcccgggcct tgtacacacc gcccgtcaca ccatgggagt gggttgcaaa agaagtaggt	1440
agcttaacct tcgggagggc gcttaccact ttgtgattca tgactggggt gaagtcgtaa	1500
caaggttaacc gttaggggaac ctgcggttgg atcacctcct ta	1542

<210> 7
 <211> 2905
 <212> DNA
 <213> Escherichia coli 23 S Ribosomal RNA

<400> 7	
ggttaagcga ctaagcgtac acggtggatg ccctggcagt cagaggcgat gaaggacgtg	60
ctaactctgcg ataagcgtcg gtaaggtgat atgaaccgtt ataaccggcg atttccgaat	120
ggggaaccac agtgtgtttc gacacactat cattaactga atccataggt taatgaggcg	180
aaccggggga actgaacatc ctaagtaccg cgaggaaaag aaatcaaccg agattccccc	240
agtagcggcg agcgaaacgg gagcagccca gagcctgaat cagtgtgtgt gttagtggaa	300
gcgtctggaa aggcgcgcga tacaggggtg cagcccccga caaaaaatg cacatgctgt	360

CI0042PCTseqlisting.ST25

gagctc gatg agtagggcgg gacacgtggt atcctgtctg aatatggggg gaccatcctc	420
caaggctaaa tactcctgac tgaccgatag tgaaccagta ccgtgagggg aaggcgaaaa	480
gaaccccgcc gaggggagtg aaaaagaacc tgaaccgtg tacgtacaag cagtgggagc	540
acgcttaggc gtgtgactgc gtaccttttg tataatgggt cagcgactta tattctgtag	600
caaggttaac cgaatagggg agccgaaggg aaaccgagtc ttaactgggc gttaagttgc	660
agggtataga ccggaaccgc ggtgatctag ccacgggcag gttgaaggtt gggtaacct	720
aactggaggga ccgaaccgac taatgttgaa aaattagcgg atgacttgtg gctgggggtg	780
aaaggccaat caaacgggga gatagctggt tctccccgaa agctatttag gtacgcctc	840
gtgaattcat ctccgggggt agagcactgt ttcggcaagg gggcatccc gacttaccaa	900
cccgatgcaa actgcgaata ccggagaatg ttatcacggg agacacacgg cgggtgctaa	960
cgcccgctgt gaagagggaa acaaccaga ccgccagcta aggtcccaa gtcatggtta	1020
agtgggaac gatgtgggaa ggccagaca gccaggatgt tggcttagaa gcagccatca	1080
tttaagaaa gcgtaatagc tcaactggtc agtcggcctg cgcggaagat gtaacggggc	1140
taaacattgc accgaagctg cgcgacgac gcttatgctg tgttggttag gggagcgttc	1200
tgtaacgctg cgaaggtgtg ctgtgaggca tgctggaggt atcagaagtg cgaatgctga	1260
cataagtaac gataaagcgg gtgaaaagcc cgctcgccgg aagaccaagg gttcctgtcc	1320
aacgttaatc ggggcagggt gagtcgacc ctaaggcgag gccgaaaggc gtatgcgatg	1380
ggaaacaggt taatattcct gtacttggtg ttactgcgaa ggggggacgg agaaggctat	1440
gttggccggg cgacggttgt cccggtttta gcgtgtaggc tggttttcca ggcaatccg	1500
gaaaatcaag gctgaggcgt gatgacgagg cactacggtg ctgaagcaac aaatgcctg	1560
cttcaggaa aagcctctaa gcatcaggta acatcaaatc gtaccccaaa ccgacacagg	1620
tggtcaggtg gagaatacca aggcgcttga gagaactcgg gtgaagggaat taggcaaat	1680
gggtgcgtaa cttcgggaga aggcacgctg atatgtaggt gaagcgactt gctcgtggag	1740
ctgaaatcag tcgaagaatc cagctggctg caactgttta ttaaaaacac agcactgtgc	1800
aaacacgaaa gtggacgtat acgggtgtgac gcctgcccgg tgccggaagg ttaattgatg	1860
gggttagcgg taacgcgaag ctcttgatcg aagcccgggt aaacggcgcc cgtaactata	1920
acggtcctaa ggtagcgaaa ttcttgtgtc ggtaagtctc gacctgcacg aatggcgtaa	1980
tgatggccag gctgtctcca cccgagactc agtgaaattg aactcgctgt gaagatgcag	2040
tgatcccgcg gcaagcggga aagacccgtg gaacctttac tatagcttga cactgaacat	2100
tgagccttga tgtgtaggat aggtgggagg ctttgaagtg tggacgccag tctgcatgga	2160
gccgaccttg aaataccacc ctttaatgtt tgatgttcta acgttgccc gtaatccggg	2220
ttgcgacagc gttctggttg gtatgtttgac tggggcgctc tcctcctaaa gagtaacgga	2280
ggagcacgaa gtttggtctaa tcctggctcg acatcaggag gttagtcaa tggcataagc	2340
cagcttgact gcgagcgtga cggcgcgagc aggtgcgaaa gcaggtcata gtgatccgg	2400

CI0042PCTseqlisting.ST25

ggttctgaat ggaagggcca tcgctcaacg gataaaaggt actccgggga taacaggctg	2460
ataccgcccc agagttcata tcgaCggcgg tgtttggacg ctcgatgtcg gctcatcaca	2520
tcctggggct gaagtaggtc ccaagggatg ggctgttcgc catttaaagt ggtacgcgag	2580
ctgggtttag aacgtcgtga gacagttcgg tccctatctg ccgtgggcgc tggagaactg	2640
aggggggctg ctctagtac gagaggaccg gagtggacgc atcactggtg ttcgggttgt	2700
catgccaatg cactgcccgg tagCtaaag cggaagagat aagtgtgaa agcatctaaag	2760
cacgaaactt gccccgagat gagttctccc tgacccttta agggctctga aggaacgttg	2820
aagacgacga cgttgatagg ccgggtgtgt aagcgcagcg atgcgttgag ctaaccggtg	2880
ctaatagaacc gtgaggctta acctt	2905

<210> 8
 <211> 1798
 <212> DNA
 <213> Yeast (*S. cerevisiae*)

<400> 8	
tatctggtg atcctgccag tagtcatatg cttgtctcaa agattaagcc atgcagtgtc	60
aagtataaagc aattttatac gtgaaactgc gaatggctca ttaaatcagt tatcgtttat	120
ttgatagttc ctttactaca tgggtataacc gtggtaatc tagagctaata acatgcctaa	180
aatctcgacc ctttgaaga gatgtattta ttagataaaa aatcaatgtc ttcggactct	240
ttgatgattc ataataactt ttcgaatcgc atggccttgt gctggcgtg gttcattcaa	300
atttctgccc tatcaacttt cgtaggtagg atagtggtc accatggttt caacgggtaa	360
cggggaataa ggggttcgatt ccggagaggg agcctgagaa acggctacca catccaagga	420
aggcagcagg cgcgcaaatt acccaatcct aattcagggg gtagtgaca ataaataacg	480
atacagggcc cattcgggtc ttgtaattgg aatgagtaca atgtaaatat cttaacgagg	540
aacaattgga gggcaagtct ggtgccagca gccgcggtaa ttccagctcc aatagcgtat	600
attaaagtgt ttgcagttaa aaagctcgtg gttgaacttt gggcccggtt ggcgcgttcg	660
atttttctgt gtactggatt tccaacgggg ctttctcttc tggctaacct tgagtccttg	720
tggtccttgg cgaaccagga cttttacttt gaaaaaatta gagtgttcaa agcaggcgta	780
ttgctcgaat atattagcat ggaataatag aataggacgt ttggttctat tttgttggtt	840
tctaggacca tcgtaatgat taatagggac ggtcgggggc atcggtattc aattgtcgag	900
gtgaaattct tggatttatt gaagactaac tactgcgaaa gcatttgcca aggacgtttt	960
cattaatcaa gaacgaaggt taggggactg aagatgatct ggtaccgtcg tagtcttaac	1020
cataaactat gccgactaga tcgggtgtgt ttttttaaat gaccactcg gtaccttacg	1080
agaaatcaaa gtctttgggt tctgggggga gtatggtcgc aaggctgaaa cttaaaggaa	1140
ttgacggaag ggcaccacta ggagtgaggc ctgcggctaa ttgactcaa cacggggaaa	1200
ctcaccaggt ccagacacaa taaggattga cagattgaga gctctttctt gattttgtgg	1260

CI0042PCTseqlisting.ST25

gtggtggtgc atggccgttt ctacgttggt ggagtgattt gtctgcttaa ttgcgataac	1320
gaacgagacc ttaacctact aaatagtggt gctagcattt gctggttata cacttccttag	1380
agggactatc ggtttcaagc cgatggaagt ttgaggcaat aacaggctctg tgatgccctt	1440
agaacgttct gggcgccacg cgcgctacac tgacggagcc agcaggtcta accctggccg	1500
agaggtcctg gtaactcttg gaaactccgt cgtgctgggg atagagcatt gtaattattg	1560
ctcttcaacg aggaattcct agtaagcgca agtcatcagc ttgcgttgat tacgtccctg	1620
ccctttgtac acaccgcccg tcgctagtac cgattgaatg gcttagtgag gcctcaggat	1680
ctgcttagag aagggggcaa ctccatctca gagcggagaa ttggacaaa cttgtgcatt	1740
tagaggaact aaaagtcgta acaaggtttc cgtaggtgaa cctcgggaag gatcatta	1798

<210> 9
 <211> 3911
 <212> DNA
 <213> Yeast 25S Ribosomal RNA

<400> 9

aattccgtga tgggccttta ggttttacca actcgggcta atcttttttt atactgagcg	60
tattggaacg ttatcgataa gaagagagcg tctaggcgaa caatgttctt aaagtgtgac	120
ctcaaatcag gttaggtatc ccgtgaaact taagcataatc aataagcgga ggaagaaaa	180
ccaaccggat tgccttagta acggcgagtg aagcggcaaa agctcaaat tgaaatctgg	240
taccttcggt gcccgagttg taatttggag agggcaactt tggggccgtt ccttgtctat	300
gttccttggg acaggacgtc atagaggggt agcatccgt gtggcgagga gtgcggttct	360
ttgtaaagt ccttcgaaga gtcgagttgt ttgggaatgc agctctaagt gggtggtaaa	420
ttccatctaa agctaaatat tggcgagaga ccgatatgca acaagtacag tgatggaaag	480
atgaaaagaa ctttgaaaaa agagtgaaaa agtacgtgaa attgttgaaa gggaaaggca	540
tttgatcaga catggtgttt tgtgccctct gctccttggt ggtaggggaa tctcgcattt	600
cactggggcca gcattcagttt tggtagcagg ataaatccat aggaatgtag cttgcctcgg	660
taagtattat agcctgtggg aatactgcc a gctgggactg aggaatgcga cgtaagtcaa	720
ggatgctggc ataatgttta tatgccgcc gtcttgaaac acggaccaag gagtctaacg	780
tctatcgag gtgttgggtg taaaaccat acgcgtaatg aaagtgaacg taggttgggg	840
cctcgaaaga ggtgcacaat cgaccgatcc tgatgtcttc ggatggattt gagtaagagc	900
atagctgttg ggaccggaaa gatggtgaac tatgcctgaa tagggtgaag ccagaggaaa	960
ctctggtgga ggctcgtagc ggttctgacg tgcaaatcga tcgtcgaatt tgggtatagg	1020
ggcgaagac taatcgaaac atctagtagc tggttcctgc cgaagtttcc ctaggatag	1080
cagaagctcg tatcagtttt atgaggtaaa gcgaatgatt agaggttccg gggctgaaat	1140
gaccttgacc tattctcaaa ctttaaatat gtaagaagtc ctgtttactt aattgaacgt	1200
ggacatttga atgaagagct tttagtggcg catttttggt aagcagaagt gccgatgcgg	1260
gatgaaccga acgtagagtt aagggtgccg aatacacgct catcacagac cacaaaaagg	1320

CI0042PCTseqlisting.ST25

gttagttcat	ctagacagcc	ggcgggtggc	catggaagtc	ggaatccgct	aaggagtgtg	1380
taacaactca	ccggccgaat	gaactagccc	tgaaaatgga	tggcgctcaa	gcgtgttacc	1440
tatactctac	cgtcagggtt	gatattgatgc	cctgacgagt	aggcaggcgt	ggaggctcagt	1500
gacgaagcct	agaccgtaag	gtcgggtcga	acggcctcta	gtgcagatct	tgggtggtagt	1560
agcaaatatt	caaatgagaa	ctttgaagac	tgaagtgggg	aaaggttcca	cgtcaacagc	1620
agttggacgt	gggttagtgc	atcctaagag	atggggaaagc	tccgtttcaa	aggcctgatt	1680
ttatgcaggc	caccatcgaa	agggaaatccg	gtaagattcc	ggaacttgga	tatggattct	1740
tcacggtaac	gtaactgaat	gtggagacgt	cggcgcgagc	cctgggagga	gttatctttt	1800
cttcttaaca	gcttatcacc	ccggaattgg	tttatccgga	gatgggtctt	tatggctgga	1860
agaggccagc	acctttgctg	gtccgggtgc	gcttgtgacg	gcccgtgaaa	atccacagga	1920
aggaatagtt	ttcatgctag	gtcgtactga	taaccgcagc	aggctctcaa	ggtgaaacgc	1980
ctctagttag	tagaataatg	tagataaggg	aagtcggcaa	aatagatccg	taacttcggg	2040
ataaggattg	gctctaaggg	tcgggtagtg	agggccttgg	tcagacgcag	cgggcggtct	2100
tgtggaactg	ttggtggggc	ttgctctgct	aggcggacta	cttgcgtgcc	ttgtgtgaga	2160
cggccttggt	aggtctcttg	tagacgcgtc	cttgctacaa	ttaacagatc	aacttagaac	2220
tggtacggac	aaggggaatc	tgactgtcta	attaaaacat	agcattgcga	tggtcagaaa	2280
gtgatgttga	cgcaatgtga	tttctgcccc	gtgctctgaa	tgtcaaagtg	agaagaattca	2340
accaagcgcg	agtaaacggc	gggagtaact	atgactctct	taaggtagcc	aaatgcctcg	2400
tcattctaatt	agtgcgcgc	atgaatggat	taacgagatt	ccactgtcc	tatatctacta	2460
tctagcga	ccacagccaa	gggaacgggc	ttggcagaat	cagcggggaa	agaagaccct	2520
gttgagcttg	actctagttt	gacatttgta	agagacatag	aggggtgtaga	ataagtggga	2580
gcttcggcgc	cagtgaataa	ccactacctt	tatagtttct	ttacttatcc	aatgaaagcgg	2640
agctggaatt	cattttccac	gttctagcat	tcaaggtccc	attcgggggt	gattccgggtt	2700
gaagacattg	tcagggtggg	agtttggctg	gggcggcaca	tctgttaaac	gataacgcag	2760
atgtccataag	gggggctcat	ggagaacaga	aatctccagt	agaacaaaag	ggtaagagcc	2820
cttagtttga	tttcagtgtg	aatacaaac	attgaaagtg	tggcctatcg	atccttttagt	2880
ccctcggaat	ttgaggctag	aggtgccaga	aaagttacca	cagggataac	tggcctgttg	2940
cagtcaagcg	ttcatagcga	cattgctttt	tgattcttcg	atgtcggctc	ttcttatcat	3000
accgaagcag	aattcggtaa	gcgttggtat	gttcacccac	taatagggaa	catgagctgg	3060
gtttagaccg	tcgtgagaca	ggttagtttt	accctactga	tgaatgttac	cagcaatagt	3120
aattgaacct	agtacgagag	gaacagttca	ttcggaataa	tggtttttgc	ggctgtctga	3180
tcaggcattg	ccgcgaagca	ccatccgctg	gattatggct	gaacgcctct	aagtcagaat	3240
ccatgctaga	acgcggtgat	ttctttgctc	cacacaatat	agatggatac	gaataaggcg	3300
tccttgtggc	gtcgtggaac	catagcaggc	tagcaacggg	gcacttggcg	gaaaggcctt	3360

CI0042PCTseqlisting.ST25

```

gggtgcttgc tggcgaattg caatgtcatt ttgcgtgggg ataaatcatt tgtatacgac 3420
ttagatgtac aacgggggat tgtaagcggg agagtgcctt tgtgttacg atctgctgag 3480
attaagcctt tgttgcctga tttgtttttt atttctttct aagtgggtac tggcaggagc 3540
cggggcctag tttagagaga agtagactca acaagtctct ataaatttta ttgtccttaa 3600
gaattctatg atccgggtaa aaacatgtat tgtatatatc tattataata tacgattgagg 3660
atgatatgtg gtaagagtgt accatttact aatgtatgta agttactatt tactatttgg 3720
tctttttatt ttttattttt tttttttttt tcgttgcaaa gatgggttga aagaagaagg 3780
ctttcacaaa gcttcccagc cgtgaaagga tttgccgga cagtttgctt catgagagcag 3840
ttttttccgc accatcagag cggcaaacat gagtgcttgt ataagtttag agaattgaga 3900
aaagctcatt t 3911

```

```

<210> 10
<211> 16569
<212> DNA
<213> Human mitochondrial DNA

```

```

<400> 10
gatcacaggc ctatcacctt attaacctt cagggagctt ctccatgcat ttggtatttt 60
cgtctggggg gtagtcacgc gatagcattg cgagacgctg gagccggagc accctatgtc 120
gcagtatctg tctttgattc ctgcctcatc ctattattta tcgcacctac gttcaatatt 180
acaggcgaac atacttacta aagtgtgtta attaatatt gcttgttaga cataataata 240
acaattgaat gcttcgcacg ccactttcca cacagacatc ataacaaaaa atttcacca 300
aaccctccct ccccgcttc tggccacagc acttaaacac atctctgcca aaccctaaaa 360
acaaagaacc ctaaccaggc cctaaccaga ttcaaaattt tatcttttgg cggtatgcac 420
ttttaacagt caccctccaa ctaacacatt attttccctt cccactccca tactactaat 480
ctcatcaata caaccccgcc ccatcctacc cagcacacac acaccgctgc taaccccata 540
ccccgaacca accaaacccc aaagacaccc cccacagttt atgtagctta cctcctcaaa 600
gcaatacact gaaaatgttt agacgggctc acatcacccc ataaacaaat aggtttgggtc 660
ctagcctttc tattagctct tagtaagatt acacatgcaa gcaccccggt tccagtgagt 720
tcacctctta aatcaccagc atcaaaaggg acaagcatca agcagcagc atgacagctc 780
aaaacgctta gcctagccac acccccacgg gaaacagcag tgattaaact ttagcaataa 840
acgaaagttt aactaaagta tactaacccc agggttgggt aatttcgtgc cagccaccgc 900
ggtcacacga ttaaccacaag tcaatagaag ccggcgtaaa gagtggttta gatccacccc 960
tcccataata agctaaaaact cactgagttt gtaaaaaaact ccagttgaca caaaatagac 1020
tacgaaagtg gctttaacat atctgaacac acaatagcta agacccaac tgggattaga 1080
taccctacta tgcttagccc taaacctcaa cagttaaatc aacaaaactg ctccgacaga 1140
cactacgagc cacagcttaa aactcaaagg acctggcggt gcttcataac cctctagagg 1200

```

CI0042PCTseqlisting.ST25

agcctgttct gtaatcgata aaccccgatc aacctaccca cctcttgctc agcctatata	1260
ccgccatctt cagcaaaccc tgatgaaggc tacaagtaa gcgcaagtac ccacgtaaag	1320
acgttaggtc aaggtgttagc ccattgagtg gcaagaaatg ggctacattt tctacccag	1380
aaaactacga tagcccttat gaaacttaag ggtcgaaggt ggatttagca gtaaacctaag	1440
agtagagtgc ttagtgtgaac agggccctga agcgcgtaca caccgccgt caccctctc	1500
aagtatactt caaaggacat ttaactaaa cccctacgca ttatataga ggagacaagt	1560
cgtaacatgg taagtgtact ggaaagtga cttggacgaa ccagagtgtg gcttaacaca	1620
aagcacccaa cttacactta ggagatttca acttaacttg accgctctga gctaaaccta	1680
gcccaaac cactccacct tactaccaga caaccttagc caaacattt acccaataa	1740
agtataggcg atagaaattg aaacctggcg caatagatat agtaccgaa gggaaagatg	1800
aaaaattata accaagcata atatagcaag gactaacccc tatacctttc gcataatgaa	1860
ttaactagaa ataactttgc aaggagagcc aaagctaaga ccccgaaac cagacgagct	1920
acctaagaac agctaaaga gcacaccgt ctatgtagca aaatagtggg aagatttata	1980
ggtagaggcg acaaacctac cgagcctggt gatagctggt tgtccaagat agaacttag	2040
ttcaacttta aatttgccca cagaaccctc 'taaatccctc tgtaaattta actgttagtc	2100
caaagaggaa cagctctttg gacactagga aaaaaccttg tagagagagt aaaaattta	2160
acacctatag taggcctaaa agcagccacc aattaagaaa gcgttcaagc tcaacacca	2220
ctacctaata aatcccaaac atataactga actcctcaca ccaattgga ccaatctatc	2280
accctataga agaactaatg ttagtataag taacatgaaa acattctcct ccgcataagc	2340
ctgcgtcaga ttaaaacact gaactgacaa ttaacagccc aatatctaca atcaaccaac	2400
aagtcattat tacctcact gtcaacccaa cacaggcatg ctcataagga aaggttaaaa	2460
aaagtaaaag gaactcggca aatcttacc cgcctgttta ccaaaaacat cacccttagc	2520
atcaccagta ttagaggcac cgctcgccca gtgacacatg ttaacggcg gcggtaccc	2580
aacgtgcaa aggtagcata atcacttgtt ccttaaatag ggacctgtat gaatggctcc	2640
acgaggggtc agctgtctct tacttttaac cagtgaatt gacctgccg tgaagaggcg	2700
ggcataaac agcaagcga gaagacccta tggagcttta atttattaat gcaaacagta	2760
cctaacaac ccacaggtcc taaactacca aacctgcatt aaaaatttcg gttggggcga	2820
cctcgagga gaaccaacc tcgagcagt acatgctaag acttcaccag tcaaacgaa	2880
ctactatact caattgatcc aataacttga ccaacggaac aagttaccct agggataaca	2940
gcgcaatcct attctagagt ccatatcaac aatagggttt acgacctcga tgttgatca	3000
ggacatccg atggtgcagc cgctattaaa ggttcgtttg ttcaacgatt aaagtctac	3060
gtgatctgag ttgacaccg agtaatccag gtcggtttct atctaccttc aaattctcc	3120
ctgtacgaaa ggacaagaga aataaggcct acttcacaaa gcgccttccc ccgtaaatga	3180
tatcatctca acttagtatt ataccacac ccaccaaga acagggtttg ttaagatggc	3240

CI0042PCTseqlisting.ST25

agagcccggt aatcgcataa aacttaaaac ttacagtcga gaggttcaat tcctcttctt	3300
aacaacatac ccatggccaa cctcctactc ctcatgtac ccattctaat cgcaatggca	3360
ttcctaagtc ttaccgaacg aaaaattcta ggctatatac aactacgcaa aggcccaac	3420
gttgtaggcc cctacgggct actacaacc ttgctgacg ccataaaact cttcaccaa	3480
gagccctaa aaccggccac atctaccatc accctctaca tcaccgccc gaccttagct	3540
ctcaccatcg ctcttctact atgaaccccc ctcccatac ccaaccccc ggtcaacctc	3600
aacctaggcc tcctatttat tctagccacc tctagcctag ccgtttactc aatcctctga	3660
tcagggtgag catcaaacct aaactacgcc ctgacggcg cactgcgagc agtagcccaa	3720
acaatctcat atgaagtcac cctagccatc attctactat caacattact aataagtggc	3780
tcctttaacc tctccacctc tatcacaaca caagaacacc tctgattact cctgccatca	3840
tgacccttgg ccataatatg atttatctcc acactagcag agaccaacgg aaccctcttc	3900
gaccttgccg aaggggagtc cgaactagtc tcaggcttca acatcgaata cgccgcaggc	3960
cccttcgccc tattcttcat agccgaatac acaaacatta ttataataa caccctcac	4020
actacaattc tcttaggaac aacatatgac gcactctccc ctgaactcta cacaacatat	4080
ttgtcacca agaccctact tctaacctcc ctgttcttat gaattcgaac agcatacccc	4140
cgattccgct acgaccaact catacacctc ctatgaaaaa acttcttacc actcacctta	4200
gcattactta tatgatattg ctccataacc attacaatct ccagcattcc cctcaaac	4260
taagaaatat gttcgataaa agagttaact tgatagagta aataatagga gcttaaaccc	4320
cttattttct aggactatga gaatcgaacc catccctgag aatccaaaat tctccgtgcc	4380
acctatcaca ccccatccta aagtaaggct agctaataa gctatcgggc ccataccccg	4440
aaaatgttgg ttataacctt cccgtactaa ttaatcccc ggcccaaccg gtcattctact	4500
ctaccatctt tgcaggcaca ctcatcacag cgctaagctc gcactgattt ttacctgag	4560
taggcctaga aataaacatg ctagctttta ttccagttct aaccaaaaaa ataaacccctc	4620
gttcacaga agctgccatc aagtatttcc tcacgcaagc aaccgcatcc ataactcttc	4680
taatagctat cctcttcaac aatatactct ccggacaatg aaccataacc aatactacca	4740
atcaatactc atcataata atcataatag ctatagcaat aaactagga atagcccct	4800
ttcacttctg agtcccagag gttaccgaag gcaacctctc gacatccggc ctgcttcttc	4860
tcacatgaca aaaactagcc cccatctcaa tcataacca aatctctccc tcaactaaag	4920
taagccttct cctcactctc tcaatcttat ccatcatagc aggcagttag ggtggaataa	4980
accagacca gctacgcaaa atcttagcat actcctcaat taccacata ggatgaataa	5040
tagcagttct accgtacaac cctaacataa ccattcttaa tttaactatt tatattatcc	5100
taactactac gcattctcta ctactcaact taaactccag caccacgacc ctactactat	5160
ctgcacctg aaacaagacta acatgactaa cacccttaat tccatccacc ctctctccc	5220
taggaggcct gcccccgcta accggctttt tgcccaaatg ggccattatc gaagaattca	5280

CI0042PCTseqlisting.ST25

caaaaaacaa	tagcctcatc	atccccacca	tcatagccac	catcacccctc	cttaacctct	5340
actttactct	acgcctaatac	tactccacct	caatcacact	actccccata	tctaaacacg	5400
taaaaaataa	atgacagttt	gaacatacaa	aaccaccccc	attcctcccc	acactcatcg	5460
cccttaccac	gctactccta	cctatctccc	cttttatact	aataatctta	tagaaattta	5520
ggttaaatac	agaccaagag	ccttcaaagc	cctcagtaag	ttgcaatact	taatttctgt	5580
aacagctaag	gactgcacaaa	ccccactctg	catcaactga	acgcaaatca	gccactttaa	5640
ttaagctaag	cccttactag	accaatggga	cttaaaccca	caaacactta	gttaacagct	5700
aagcacccta	atcaactggc	ttcaatctac	ttctccgcc	gccgggaaaa	aaggcgggag	5760
aagccccggc	aggtttgag	ctgcttcttc	gaatttgcaa	ttcaatatga	aaatcacctc	5820
ggagctggta	aaaagaggcc	taacccctgt	ctttagattt	acagtccaat	gcttcaactca	5880
gccattttac	ctcaccccca	ctgatgttcg	ccgaccgttg	actattctct	acaaaccaca	5940
aagacattgg	aacactatac	ctattattcg	gcgcatagac	tggagtcccta	ggcacagctc	6000
taagcctcct	tattcgagcc	gagctgggcc	agccaggcaa	cttcttaggt	aacgaccaca	6060
ttcacaacgt	tatcgtcaca	gccatgcat	ttgtaataat	cttcttcata	gtaataccca	6120
tcataatcgg	aggctttggc	aactgactag	ttccccta	aatcggtgcc	cccgatatgg	6180
cgtttcccg	cataaacac	ataagcttct	gactcttacc	tcccctctc	ctactctctc	6240
tcgcactctc	tatatggag	gccggagcag	gaacagggtg	aacagtctac	cctcccttag	6300
cagggaaacta	ctccaccct	ggagcctccg	tagacctaac	catcttctcc	ttacacctag	6360
cagggtgtctc	ctctatctta	ggggccatca	atttcatac	aacaattatc	aatataaaac	6420
ccccgtccat	aacccaatac	caaacgcccc	tcttcgtctg	atccgtcccta	atcacagcag	6480
tcctacttct	cctatctctc	ccagtcctag	ctgctggcat	cactatacta	ctaacagacc	6540
gcaacctcaa	caccaccctc	ttcgaccccg	ccggaggagg	agacccatt	ctataccaac	6600
acctattctg	atttttcggt	cacctgaag	tttatattct	tatcctacca	ggcttcggaa	6660
taatctccca	tattgtaact	tactactccg	gaaaaaaga	accatttgga	tacataggta	6720
tggtctgagc	tatgatatca	attggcttcc	tagggtttat	cgtgtgagca	caccatatat	6780
ttacagtagg	aatagacgta	gacacacgag	catatttctac	ctccgtacc	ataatcatcg	6840
ctatccccc	cggcgtcaaa	gtatttagct	gactcgccac	actccacgga	agcaatatga	6900
aatgatctgc	tgcagtgctc	tgagccctag	gattcatctt	tcttttcacc	gtaggtggcc	6960
tgactggcat	tgtattagca	aactcatcac	tagacatcgt	actacacgac	acgtactacg	7020
ttgtagccca	cttcactat	gtcctatcaa	taggagctgt	atttgccatc	ataggaggct	7080
tcattcactg	atttcccccta	ttctcaggct	acacccctaga	ccaaacctac	gccaaaatcc	7140
atttcactat	catattcatc	ggcgtaaatc	taactttctt	cccacaacac	tttctcggcc	7200
tatccggaat	gccccgacgt	tactcggact	accccgatgc	atacaccaca	tgaacatcc	7260
tatcatctgt	aggctcattc	atttctctaa	cagcagtaat	attaataatt	ttcatgattt	7320

CI0042PCTseqlisting.ST25

gagaagcctt	cgcttcgaag	cgaaaagtcc	taatagtaga	agaacccctcc	ataaacctgg	7380
agtgtactata	tggatgcccc	ccaccctacc	acacattcga	agaacccgta	tacataaaat	7440
ctagacaaaa	aaggaaggaa	tcgaaccccc	caaagctggg	ttcaagccaa	ccccatggcc	7500
tccatgacct	tttcaaaaag	gtattagaaa	aaccatttca	taactttgtc	aaagttaaat	7560
tataggctaa	atcctatata	tcttaatggc	acatgcagcg	caagtaggtc	tacaagacgc	7620
tacttccctt	atcatagaag	agcttatcac	cttcatgat	cacgccctca	taatcatttt	7680
ccttatctgc	ttcctagtcc	tgtatgccc	tttccataca	ctcacaacaa	aactaacata	7740
tactaacatc	tcagacgctc	aggaaataga	aaccgtctga	actatcctgc	ccgccatcat	7800
cctagtccct	atcgccctcc	catccctacg	catcctttac	ataacagacg	aggtaacaga	7860
tcctccctt	accatcaaat	caattggcca	ccaatggtag	tgaacctacg	agtaaccgga	7920
ctacggcgga	ctaattctca	actcctacat	acttccccc	ttattcctag	aaccaggcga	7980
cctgcgactc	cttgacgttg	acaatcgagt	agtactcccc	attgaagccc	ccattcgtag	8040
aataattaca	tcacaagacg	tcttgacact	atgagctgtc	cccacattag	gcttaaaaac	8100
agatgcaatt	cccgagcgtc	taaacaaaac	cactttcacc	gctacacgac	cgggggtata	8160
ctacggctca	tgtctgaaa	tctgtggagc	aaaccacagt	ttcatgccca	tcgtctctaga	8220
attaattccc	ctaaaaatct	ttgaaatagg	gccctatttt	accctatagc	accctctcta	8280
ccccctctag	agcccaactg	aaagctaact	tagcattaac	cttttaagtt	aaagattaag	8340
agaaccaaca	ctcttttaca	gtgaaatgcc	ccaactaaat	actaccgtat	ggcccaccat	8400
aattaccccc	atactcctta	cactattcct	catcacccaa	ctaaaaatat	taaacacaaa	8460
ctaccaccta	cctccctcac	caaagcccat	aaaaataaaa	aattataaca	aaccttgaga	8520
accaaaatga	acgaaaatct	gttcgcttca	ttcattgccc	ccacaatcct	aggctacccc	8580
gccgcagtac	tgatcattct	atttccccc	ctattgatcc	ccacctccaa	atatctcatc	8640
aacaaccgac	taatcaccac	ccaacaatga	ctaatacaac	taacctcaaa	acaaatgata	8700
accatacaca	acactaaagg	acgaacctga	tctcttatac	tagtatcctt	aatcattttt	8760
attgccacaa	ctaactctct	cggactcctg	cctcactcat	ttacaccaac	cacccaacta	8820
tcataaaacc	tagccatggc	catccccc	tgagcgggca	cagtgattat	aggctttcgc	8880
tctaagatta	aaaatgccct	agcccacttc	ttaccacaag	gcacacctac	accccttatc	8940
ccatactag	ttattatcga	aaccatcagc	ctactcattc	aaccaatagc	cctggccgta	9000
cgcttaaccg	ctaaccattac	tgcaggccac	ctactatgc	acctaattgg	aagcgccacc	9060
ctagcaatat	caaccattaa	ccttccctct	acatttatca	tcttcacaa	tctaattcta	9120
ctgactatcc	tagaaatcgc	tgtcgcccta	atccaagcct	acgttttcac	acttctagta	9180
agcctctacc	tgcacgacaa	cacataatga	cccaccaatc	acatgcctat	catatagtaa	9240
aaccagccc	atgaccccta	acaggggccc	tctcagccct	cctaattgac	tccggcctag	9300
ccatgtgatt	tcacttccac	tccataacgc	tcctcatact	aggcctacta	accaacacac	9360

CI0042PCTseqlisting.ST25

taaccatata ccaatgatgg	cgcgatgtaa cacgagaaag	cacatatccaa	ggccaccaca	9420	
caccacctgt ccaaaaaggc	cttcgatacg	ggataatcct	atttattacc	tcagaagttt	9480
ttttcttcgc aggatttttc	tgagcctttt	accactccag	cctagccccct	accccccaat	9540
taggagggca ctggccccc	acaggcatca	ccccgcgtaaa	tcccctagaa	gtcccactcc	9600
taaacacatc cgtattactc	gcacaggag	tatcaatcac	ctgagctcac	catagtctaa	9660
tagaaaacaa ccgaaaccaa	ataattcaag	cactgcttat	tacaatttta	ctgggtctct	9720
attttaccct cctacaagcc	tcagagtact	tcgagctctc	cttcaccatt	tcgcacggca	9780
tctacggctc aacatttttt	gtagccacag	gcttcacag	acttcacgct	attattggct	9840
caactttcct cactatctgc	ttcatccgcc	aactaatatt	tcactttaca	tccaaacatc	9900
actttggcct cgaagccgcc	gcctgatact	ggcattttgt	agatgtggtt	tgactatttc	9960
tgtagtctc catctattga	tgagggtctt	actcttttag	tataaatagt	accgttaa	10020
tccaattaac tagttttgac	aacattcaaa	aaagagtaat	aaacttcgcc	ttaattttaa	10080
taatcaacac cctcctagcc	ttactactaa	taattattac	attttgacta	ccacaactca	10140
acggctacat agaaaaatcc	accccttagc	agtgccgctt	cgacctata	tccccgcc	10200
gcgtcccttt cctcataaaa	ttctctttag	tagctattac	cttcttatta	tttgatctag	10260
aaattgcccc ccttttacc	ctaccatgag	ccctacaac	aactaacctg	ccactaatag	10320
ttatgtcatc cctcttatta	atcatcatcc	tagccctaag	tctggcctat	gagtgtactac	10380
aaaaaggatt agactgaacc	gaattggtat	atagtttaaa	caaaacgaat	gatttcgact	10440
cattaaatta tgataatcat	atttaccaaa	tgccccctat	ttacataaat	attatactag	10500
cattttaccat ctcacttcta	ggaatactag	tatatcgctc	acacctcata	tcctccctac	10560
tatgcctaga aggaataata	ctatcgctgt	tcattatagc	tactctcata	accctcaaca	10620
cccactccct cttagccaat	attgtgccta	ttgccatact	agtccttgcc	gcctgcgaag	10680
cagcgggtggg ctaggccta	ctagtctcaa	tcctcaacac	atatggccta	gactacgtac	10740
ataacctaaa cctactctaa	tgctaaaact	aatcgtccca	acaattatat	tactaccact	10800
gacatgactt tccaaaaaac	acataatttg	aatcaacaca	accaccaca	gcctaattat	10860
tagcatcatc cctctactat	tttttaacca	aatcaacaac	aacctattta	gctgttcccc	10920
aaccttttcc tccgaccccc	taacaacccc	cctcctaata	ctaactacct	gactcctacc	10980
cctcacatc atggcaagcc	aacgccactt	atccagtga	ccactatcac	gaaaaaaact	11040
ctacctctct atactaatc	ccctacaaa	ctccttaatt	ataacattca	cagccacaga	11100
actaatcata tttttatctc	tcttcgaaac	cacattatc	cccaccttgg	ctatcatcac	11160
ccgatgaggc aaccagccag	aacgcctgaa	cgcaggcaca	tacttcctat	tctcacccct	11220
agtaggctcc ctcccccctac	tcactgcact	aattttac	cacaacaccc	taggctcact	11280
aaacatttca cactctactc	tcactgccc	agaactatca	aactcctgag	ccaataactt	11340
aatatgacta gcttacacaa	tagcctttat	agtaaagata	cctcttttag	gactccactt	11400

CI0042PCTseqlisting.ST25

atgactccct	aaagcccatg	tcgaagcccc	catcgctggg	tcaatagtac	ttgccgcagt	11460
actcttaaaa	ctaggcggt	atgggtataat	acgcctcaca	ctcattctca	acccccgtac	11520
aaaacacata	gcctaccct	tccttgtact	atccctatga	ggcataatta	taacaagctc	11580
catctgccta	cgacaacag	acctaaaatc	gctcattgca	tactcttcaa	tcagccacat	11640
agccctcgta	gtaacagcca	ttctcatcca	aacccccgtg	agcttcaccg	gcgcagtcac	11700
tctcataatc	gcccacgggc	ttacatcctc	attactattc	tgccctagcaa	actcaaaacta	11760
cgaaacgact	cacagtcgca	tcataatcct	ctctcaagga	cttcaaaactc	tactcccact	11820
aatagctttt	tgatgacttc	tagcaagcct	cgtaaacctc	gccttaccct	ccactatttaa	11880
cctactggga	gaactctctg	tgctagtaac	caggttctcc	tgatcaataa	tcactctcct	11940
acttacagga	ctcaacatac	tagtcacagc	cctatactcc	ctctacatat	ttaccacaac	12000
acaatggggc	tcactcacc	accacattaa	caacataaaa	ccctcattca	cacgagaaaa	12060
caccctcatg	ttcatacacc	tatcccccat	tctctctcta	tcctcaacc	ccgacatcat	12120
taccgggttt	tcctcttgta	aatatagttt	aaccaaatac	tcagattgtg	aatctgacaa	12180
cagaggctta	cgaccctcta	tttaccgaga	aagctcacaa	gaactgtctaa	ctcatgcccc	12240
catgtctaac	aacatggctt	ttctcaactt	ttaaaggataa	cagctatcca	ttggctcttag	12300
gccccaaaaa	ttttggtgca	actccaataa	aaagtaataa	ccatgcacac	tactataacc	12360
accctaacc	tgacttcctc	aattcccccc	atccttacca	ccctcgttaa	ccctaacaaa	12420
aaaaactcat	acccccatta	tgtaaaatcc	attgtcgcat	ccacctttat	tatcagcttc	12480
ttccccacaa	caatattcat	gtgcctagac	caagaagtta	ttatctcgaa	ctgacactga	12540
gccacaacc	aaacaaccca	gctctcccta	agcttcaaac	tagactactt	ctccataata	12600
ttcatccctg	tagcattggt	cggttacatg	tccatcatag	aattctcact	gtgatatata	12660
aactcagacc	caaacattaa	tcagttcttc	aaatatctac	tcattctcct	aattaccata	12720
ctaactcttag	ttaccgctaa	caactattc	caactgttca	tcggctgaga	gggcgtagga	12780
attatatcct	tcttgctcat	cagttgatga	tacgcccgag	cagatgccaa	cacagcagcc	12840
attcaagcaa	tcctatacaa	ccgtatcggc	gatatcggtt	tcattctcgc	cttagcatga	12900
tttatcctac	actccaactc	atgagacca	caacaaatag	cccttctaaa	cgctaattcca	12960
agcctcacc	cactactagg	ctctctctta	gcagcagcag	gcaaatcagc	ccaattaggt	13020
ctccaccct	gactcccctc	agccatagaa	ggccccacc	cagctccagc	cctactccac	13080
tcaagcacta	tagttgtagc	aggaatcttc	ttactctacc	gcttcaccc	cctagcagaa	13140
aatagccac	taatccaac	tctaacacta	tgcttaggcg	ctatcaccac	ctgtgtcgca	13200
cgagctgcg	cccttacaca	aaatgacatc	aaaaaaatcg	tagccttctc	cactcaagt	13260
cacttaggac	tcataatagt	tacaatcggc	atcaaccaac	cacacctagc	attcctgcac	13320
atctgtacc	acgccttctt	caaagccata	ctattattgt	gctccgggtc	catcatccac	13380
aaccttaaca	atgaacaaga	tattcgaaaa	ataggaggac	tactcaaac	catacctctc	13440

CI0042PCTseqlisting.ST25

acttcaacct	ccctcaccat	tggcagccta	gcattagcag	gaataaccttt	cctcacaggt	13500
ttctactcca	aagaccacat	catcgaaacc	gcaaacatat	catacacaaa	cgcttgagcc	13560
ctatctatta	ctctcatcgc	tacctccctg	acaagcgcct	atagcactcg	aataattctt	13620
ctcaccctaa	cagggtcaacc	tcgcttcccc	acccttacta	acattaacga	aaataacccc	13680
accctactaa	accccatata	acgcctggca	gccggaagcc	tattcgagg	atttctcatt	13740
actaaacaaa	tttccccgcg	atcccccttc	caaacaacaa	tccccctcta	cctaaaaactc	13800
acagccctcg	ctgtcatttt	cctaggactt	ctaacagccc	tagacctcaa	ctacctaacc	13860
aacaaactta	aaataaaatc	cccactatgc	acattttatt	tctccaacat	actcggattc	13920
taccttagca	tcacacaccg	cacaatcccc	tatctaggcc	ttcttacgag	ccaaaacctg	13980
ccccactccc	tccttagacct	aacctgacta	gaaaagctat	tacctaaaac	aattttcacag	14040
caccaaatct	ccacctccat	catcacctca	acccaaaaag	gcataattaa	actttacttc	14100
ctctctttct	tttctccact	catcctaacc	ctactcctaa	tcacataacc	tattcccccg	14160
agcaatctca	attacaatat	atacaccaac	aaacaatgtt	caaccagtaa	ctactactaa	14220
tcaacgccca	taatcatata	aagccccgcg	accaatagga	tcctcccgaa	tcaaccctga	14280
ccccctctct	tcataaatta	ttcagcttcc	tacactatta	aagtttacca	caaccaccac	14340
cccatcatac	tctttcaccc	acagcaccaa	tcctacctcc	atcgctaacc	ccactaaaac	14400
actcaccaag	acctcaaccc	ctgaccccca	tgctctcagga	tactctctaa	tagccatcgc	14460
tgtagtatat	ccaagacaaa	ccatcattcc	ccctaaataa	attaaaaaaa	ctattaaacc	14520
catataacct	ccccaaaaat	tcagaataat	aacacacccg	accacaccgc	taacaatcaa	14580
tactaaaccc	ccataaatag	gagaaggctt	agaagaaaaa	cccacaaacc	ccattactaa	14640
accacacact	aacagaaaac	aagcatacat	cattattctc	gcacggacta	caaccacgac	14700
caatgatgat	aaaaaccatc	gttgattttc	aactacaaga	acaccaatga	ccccaatcag	14760
caaaattaac	ccccataata	aattaattaa	ccactcattc	atcgacctcc	ccacccccatc	14820
caactctccc	gcatgatgaa	acttcggctc	actccttggc	gcctgcctga	tcctccaagt	14880
caccacagga	ctattcctag	ccatgcacta	ctcaccagac	gcctcaaccg	ctttttcatc	14940
aatcgcccac	atcactcgag	acgtaaatta	tggtgtaac	atccgctacc	ttcacgcca	15000
tggcgcctca	atattcttta	tctgcctctt	cctacacatc	gggcgaggcc	tatatattacg	15060
atcatttctc	tactcagaaa	cctgaaacat	cggcattatc	ctcctgcttg	caactatagc	15120
aacagccttc	ataggctatg	tcttcccgty	aggccaaaata	tcattctgag	gggccacagt	15180
aattacaaac	ttactattcg	ccatcccata	cattgggaca	gacctagttc	aatgaatctg	15240
aggaggctac	tcagtagaca	gtccccacct	cacacgattc	tttacctttc	actctacttt	15300
gcccttcatt	attgcagccc	tagcaacact	ccacctccta	ttcttgacg	aaacgggac	15360
aaacaacccc	ctaggaatca	cctcccattc	cgataaaaac	accttccacc	cttactacac	15420
aatcaagagc	gccctcggct	tacttctctt	ccttctctcc	ttaatgacat	taacactatt	15480

CI0042PCTseq11isting.ST25

ctcaccagac	ctcctaggcg	acccagacaa	ttatacccta	gccaacccct	taaacacccc	15540
tccccacatc	aagcccgaat	gatatttctt	attcgcttac	acaatttctc	gatccgtccc	15600
taacaaacta	ggaggcgtcc	ttgccctatt	actatccatc	ctcatcctag	caataatccc	15660
catctcccat	atatccaaac	aacaagcat	aatatttctc	ccactaagcc	aatcacttta	15720
ttgactccta	gccgcagacc	tcctcattct	aacctgaatc	ggaggacaac	cagtaagcta	15780
cccttttacc	atcattggac	aagtagcatc	cgtactatac	ttcacaacaa	tcctaactct	15840
aataccaact	atctccctaa	ttgaaaaaaa	aataactcaa	tgggcctgtc	cttgtagtat	15900
aaactaatac	accagctctg	taaacgggag	atgaaaacct	ttttccaagg	acaaatcaga	15960
gaaaaagtct	ttaactccac	cattagcacc	caagcctaag	attctaattt	aaactattct	16020
ctgttctttc	atggggaagc	agatttgggt	accacccaag	tattgactca	cccatcaaca	16080
accgctatgt	atttcgtaca	ttactgccag	ccaccatgaa	tattgtacgg	taccataaat	16140
acttgaccac	ctgtagtaca	taaaaaccca	atccacatca	aaacccccct	cccatgctta	16200
caagcaagta	cagcaatcaa	ccctcaacta	tcacacatca	actgcaactc	caaagccacc	16260
cctcaccac	taggatacca	acaaacctac	ccacccttaa	cagtacatag	tacataaagc	16320
catttaccgt	acatagcaca	ttacagtcaa	atcccttctc	gtccccatgg	atgacccccc	16380
tcagataggg	gtcccttgac	caccatcctc	cgtgaaatca	atatcccgcg	caagagtgtc	16440
actctcctcg	ctccgggccc	ataacacttg	ggggtagcta	aagtgaactg	tatccgacat	16500
ctgggttccta	cttcagggtc	ataaagccta	aatagcccac	acgttcccct	taaataagac	16560
atcacgatg						16569

<210> 11
 <211> 17
 <212> DNA
 <213> B19 Virus

<400> 11
 tgggtctggga tgaagtg 17

<210> 12
 <211> 23
 <212> DNA
 <213> B19 virus

<400> 12
 ccattttagg cgggcaaccc acc 23

<210> 13
 <211> 21
 <212> DNA
 <213> B19 virus

<400> 13
 tggaagtgtg gctgtgcctg g 21

<210> 14
 <211> 23

CI0042PCTseqlisting.ST25

<212> DNA
 <213> B19 virus
 <400> 14
 agaatcattt gtcggaagct cag 23

<210> 15
 <211> 20
 <212> DNA
 <213> B19 virus
 <400> 15
 acaagcctgg gcaagttagc 20

<210> 16
 <211> 21
 <212> DNA
 <213> B19 virus
 <400> 16
 acaatgccag tggaaaggag g 21

<210> 17
 <211> 23
 <212> DNA
 <213> B19 virus
 <400> 17
 cttaaacaca tgaagaccat gca 23

<210> 18
 <211> 28
 <212> DNA
 <213> B19 virus
 <400> 18
 cctctcaaaa cactagaata tccttacg 28

<210> 19
 <211> 27
 <212> DNA
 <213> B19 virus
 <400> 19
 cagccatacc accactggga cacagat 27

<210> 20
 <211> 23
 <212> DNA
 <213> B19 virus
 <400> 20
 aatgccattt ctcatgggtca gac 23

<210> 21
 <211> 20
 <212> DNA
 <213> B19 virus
 <400> 21
 gcaaaacaac accacaggca 20

CI0042PCRseqlisting.ST25

```

<210> 22
<211> 22
<212> DNA
<213> Hepatitis B virus

<400> 22
caacctccaa tcactcacca ac                22

<210> 23
<211> 24
<212> DNA
<213> Hepatitis B virus

<400> 23
cctccaattt gtcctgggta tcgc                24

<210> 24
<211> 23
<212> DNA
<213> Hepatitis B virus

<400> 24
gtgtctgcgg cgttttatca tat                23

<210> 25
<211> 23
<212> DNA
<213> Hepatitis B virus

<400> 25
tgtttggtt tcagctatat gga                23

<210> 26
<211> 22
<212> DNA
<213> Hepatitis B virus

<400> 26
aattgtgggt ctttgggct tt                22

<210> 27
<211> 18
<212> DNA
<213> Hepatitis B virus

<400> 27
ttctccgtct gccgttcc                18

<210> 28
<211> 21
<212> DNA
<213> Hepatitis B virus

<400> 28
accagcacca tgcaactttt t                21

<210> 29
<211> 25
<212> DNA

```

CI0042PCTseqlisting.ST25

<213> Hepatitis B virus
 <400> 29
 tttttcacct ctgcctaatac atctc 25

 <210> 30
 <211> 16
 <212> DNA
 <213> Hepatitis B virus
 <400> 30
 tccccactgtt caagcc 16

 <210> 31
 <211> 21
 <212> DNA
 <213> Hepatitis B virus
 <400> 31
 acctcaccat accgcactca g 21

 <210> 32
 <211> 25
 <212> DNA
 <213> Hepatitis B virus
 <400> 32
 gggaattgat gactctagct acctg 25

 <210> 33
 <211> 22
 <212> DNA
 <213> Hepatitis B virus
 <400> 33
 atcctgaatg gcaaaactct tc 22

 <210> 34
 <211> 20
 <212> DNA
 <213> Hepatitis B virus
 <400> 34
 gagaaaccac acgtagcgca 20

 <210> 35
 <211> 16
 <212> DNA
 <213> Hepatitis B virus
 <400> 35
 caccctcca caggc 16

 <210> 36
 <211> 27
 <212> DNA
 <213> Hepatitis B virus
 <400> 36
 atctctccac ctctaagaga cagtcac 27

CI0042PCTseqlisting.ST25

<210> 37
 <211> 22
 <212> DNA
 <213> Porcine parvovirus
 <400> 37
 cctcacaaaa cggcaagtac tg 22

<210> 38
 <211> 36
 <212> DNA
 <213> Porcine parvovirus
 <400> 38
 acctagtcc aagtgactgc tactggttca tacagc 36

<210> 39
 <211> 29
 <212> DNA
 <213> Porcine parvovirus
 <400> 39
 gttaataatg caatgcaaag tacctctaa 29

<210> 40
 <211> 25
 <212> DNA
 <213> Porcine parvovirus
 <400> 40
 aaagacaact gaaagagagc atgga 25

<210> 41
 <211> 30
 <212> DNA
 <213> Porcine parvovirus
 <400> 41
 tctcagctca gattctggct tcatgacaaa 30

<210> 42
 <211> 22
 <212> DNA
 <213> Porcine parvovirus
 <400> 42
 caattctatt tcatgggcc a gc 22

<210> 43
 <211> 17
 <212> DNA
 <213> Porcine parvovirus
 <400> 43
 cgtggagcga gccaca 17

<210> 44
 <211> 28
 <212> DNA
 <213> Porcine parvovirus

CI0042PCTseqlisting.ST25

<400> 44		
ctgcacttaa	ctccaacacc gccagatt	28
<210> 45		
<211> 24		
<212> DNA		
<213> Porcine parvovirus		
<400> 45		
gcaatacggg	caccaagtcc aact	24
<210> 46		
<211> 23		
<212> DNA		
<213> Porcine parvovirus		
<400> 46		
gaggtagaa	gatcgccgag aaa	23
<210> 47		
<211> 28		
<212> DNA		
<213> Porcine parvovirus		
<400> 47		
aactcacca	ccaacaaaa tatataat	28
<210> 48		
<211> 29		
<212> DNA		
<213> Porcine parvovirus		
<400> 48		
actactaact	gaacctacca cagaaggag	29
<210> 49		
<211> 26		
<212> DNA		
<213> Porcine parvovirus		
<400> 49		
cttttacctt	cagatccaat aggagg	26
<210> 50		
<211> 18		
<212> DNA		
<213> Sindbis virus		
<400> 50		
gcgtgcgac	cctgtact	18
<210> 51		
<211> 25		
<212> DNA		
<213> Sindbis virus		
<400> 51		
attggcttcg	acaccacca gttca	25

CI0042PCTseqlisting.ST25

<210> 52
 <211> 20
 <212> DNA
 <213> Sindbis virus
 <400> 52
 ttctcggcta tggcaggttc 20

<210> 53
 <211> 25
 <212> DNA
 <213> Sindbis virus
 <400> 53
 gtttatttct ccgtaggatc gacac 25

<210> 54
 <211> 20
 <212> DNA
 <213> Sindbis virus
 <400> 54
 aaaactgctg caggtctcgg 20

<210> 55
 <211> 22
 <212> DNA
 <213> Sindbis virus
 <400> 55
 gaaatcgata ttacaggggc ca 22

<210> 56
 <211> 21
 <212> DNA
 <213> Sindbis virus
 <400> 56
 gcattaagtt ttctggcatg g 21

<210> 57
 <211> 18
 <212> DNA
 <213> Sindbis virus
 <400> 57
 cgattggcat agccggtg 18

<210> 58
 <211> 21
 <212> DNA
 <213> West Nile virus
 <400> 58
 tcagcgatct ctccacaaa g 21

<210> 59
 <211> 22
 <212> DNA
 <213> West Nile virus

CI0042PCTseqlisting.ST25

<400> 59
 tgcccgaacca tgggggaagc cc 22

<210> 60
 <211> 21
 <212> DNA
 <213> West Nile virus

<400> 60
 caatgacaaa cgtgctgacc c 21

<210> 61
 <211> 20
 <212> DNA
 <213> West Nile virus

<400> 61
 gctagtcctg gtgtttgggg 20

<210> 62
 <211> 24
 <212> DNA
 <213> Escherichia coli 16S Ribosomal RNA

<400> 62
 agagtttgat catggctcag attg 24

<210> 63
 <211> 24
 <212> DNA
 <213> Escherichia coli 16S Ribosomal RNA

<400> 63
 ctggcggcag gcctaacaca tgca 24

<210> 64
 <211> 21
 <212> DNA
 <213> Escherichia coli 16S Ribosomal RNA

<400> 64
 aataccgcat aacgtcgcaa g 21

<210> 65
 <211> 20
 <212> DNA
 <213> Escherichia coli 16S Ribosomal RNA

<400> 65
 gatgcaacgc gaagaacctt 20

<210> 66
 <211> 23
 <212> DNA
 <213> Escherichia coli 16S Ribosomal RNA

<400> 66
 gactgggggtg aagtcgtaac aag 23

<210> 67

CI0042PCTseqlisting.ST25

<211> 24
 <212> DNA
 <213> Escherichia coli 16S Ribosomal RNA
 <400> 67
 gtaacaaggt aaccgtaggg gaac 24

<210> 68
 <211> 19
 <212> DNA
 <213> Escherichia coli 16S Ribosomal RNA
 <400> 68
 gcggttgat cacctcctt 19

<210> 69
 <211> 22
 <212> DNA
 <213> Escherichia coli 23S Ribosomal RNA
 <400> 69
 ccgatagtga accagtaccg tg 22

<210> 70
 <211> 25
 <212> DNA
 <213> Escherichia coli 23S Ribosomal RNA
 <400> 70
 atgttgaaaa attagcggat gactt 25

<210> 71
 <211> 18
 <212> DNA
 <213> Escherichia coli 23S Ribosomal RNA
 <400> 71
 gcactgtttc ggcaaggg 18

<210> 72
 <211> 18
 <212> DNA
 <213> Escherichia coli 23S Ribosomal RNA
 <400> 72
 gccggaagac caagggtt 18

<210> 73
 <211> 24
 <212> DNA
 <213> Escherichia coli 23S Ribosomal RNA
 <400> 73
 ggccgtaact ataacggtcc taag 24

<210> 74
 <211> 26
 <212> DNA
 <213> Escherichia coli 23S Ribosomal RNA
 <400> 74

CI0042PCTseqlisting.ST25	
gataagtgc taaagcatct aagcac	26
<210> 75	
<211> 25	
<212> DNA	
<213> Yeast (S. cerevisiae)	
<400> 75	
ctgccagtag tcatatgctt gtctc	25
<210> 76	
<211> 36	
<212> DNA	
<213> Yeast (S. cerevisiae)	
<400> 76	
tacagtgaat ctgcgaatgg ctcatataat cagtta	36
<210> 77	
<211> 27	
<212> DNA	
<213> Yeast (S. cerevisiae)	
<400> 77	
taatacatgc ttaaaatctc gaccctt	27
<210> 78	
<211> 24	
<212> DNA	
<213> Yeast (S. cerevisiae)	
<400> 78	
gtcttcggac tctttgatga ttca	24
<210> 79	
<211> 17	
<212> DNA	
<213> Yeast (S. cerevisiae)	
<400> 79	
gcagccgagg taattcc	17
<210> 80	
<211> 24	
<212> DNA	
<213> Yeast (S. cerevisiae)	
<400> 80	
gctgaaactt aaaggaattg acgg	24
<210> 81	
<211> 23	
<212> DNA	
<213> Yeast (S. cerevisiae)	
<400> 81	
tggaagtgtg aggcaataac agg	23
<210> 82	
<211> 19	

CI0042PCTseq1isting.ST25

<212>	DNA	
<213>	Yeast (<i>S. cerevisiae</i>)	
<400>	82	
tgaacctgcg	gaaggatca	19
<210>	83	
<211>	24	
<212>	DNA	
<213>	Yeast 25S Ribosomal RNA	
<400>	83	
aagcatatca	ataagcggag gaaa	24
<210>	84	
<211>	20	
<212>	DNA	
<213>	Yeast 25S Ribosomal RNA	
<400>	84	
ctctggtgga	ggctcgtagc	20
<210>	85	
<211>	18	
<212>	DNA	
<213>	Yeast 25S Ribosomal RNA	
<400>	85	
aatggatggc	gctcaagc	18
<210>	86	
<211>	25	
<212>	DNA	
<213>	Yeast 25S Ribosomal RNA	
<400>	86	
tgaaaatcca	caggaaggaa tagtt	25
<210>	87	
<211>	21	
<212>	DNA	
<213>	Yeast 25S Ribosomal RNA	
<400>	87	
ctaagggtcg	ggtagtgagg g	21
<210>	88	
<211>	20	
<212>	DNA	
<213>	Yeast 25S Ribosomal RNA	
<400>	88	
agaaattcaa	ccaagcgcga	20
<210>	89	
<211>	19	
<212>	DNA	
<213>	Yeast 25S Ribosomal RNA	
<400>	89	
atgtcatttt	gcgtgggga	19

CI0042PCTseqlisting.ST25

<210> 90
 <211> 23
 <212> DNA
 <213> Human mitochondrial DNA
 <400> 90
 gttcacccctc taaatcacca cga 23

<210> 91
 <211> 23
 <212> DNA
 <213> Human mitochondrial DNA
 <400> 91
 caagcacgca gcaatgcagc tca 23

<210> 92
 <211> 26
 <212> DNA
 <213> Human mitochondrial DNA
 <400> 92
 ggaaacagca gtgattaacc ttagc 26

<210> 93
 <211> 28
 <212> DNA
 <213> Human mitochondrial DNA
 <400> 93
 gactacgaaa gtggctttaa catatctg 28

<210> 94
 <211> 24
 <212> DNA
 <213> Human mitochondrial DNA
 <400> 94
 tagagtgcctt agttgaacag ggcc 24

<210> 95
 <211> 24
 <212> DNA
 <213> Human mitochondrial DNA
 <400> 95
 taggcgatag aaattgaaac ctgg 24

<210> 96
 <211> 21
 <212> DNA
 <213> Human mitochondrial DNA
 <400> 96
 ttgttaaga tggcagagcc c 21

<210> 97
 <211> 20
 <212> DNA

CI004277seqlisting.ST25
<213> Human mitochondrial DNA
<400> 97
agaatcgaac ccatccctga 20

<210> 98
<211> 19
<212> DNA
<213> Human mitochondrial DNA

<400> 98
tttcaccgta ggtggcctg 19

<210> 99
<211> 20
<212> DNA
<213> Human mitochondrial DNA

<400> 99
aatcgctgtc gccttaatcc 20

<210> 100
<211> 19
<212> DNA
<213> Escherichia coli 23S Ribosomal RNA

<400> 100
tcctacggga ggcagcagt 19

<210> 101
<211> 23
<212> DNA
<213> Escherichia coli 23S Ribosomal RNA

<400> 101
cgtattaccg cggtgctgg cac 23